



Arbiton
FLOOR EXPERT

**RECOMMENDED ADHESIVE FOR
OUR VINYL FLOOR**

RECOMMENDED ADHESIVES FOR DRYBACK

UZIN KE 66

- fibre-reinforced
- dispersion adhesive with short open time;
- odourless during and after application;
- very low consumption
- for interior use



KE 2000 S

- excellent working properties
- good tack with stringing
- odourless during and after application
- on warm water underfloor heating system
- for heavy use in residential, commercial and industrial locations
- for interior use



KR 430

- high resistance to heat and cold
- odourless during and after application
- on levelled, absorbent or non-absorbent substrates
- for heavy use in residential, commercial and industrial locations
- on warm water underfloor heating system



POWER ELASTIC

- the strongest dispersion adhesive from the Bostik offer
- short open time
- for use on: horizontal and vertical surfaces , concrete slabs, screeds (after using self-leveling masses); in the case of asphalt screed (or other non-absorbent floors)



MIPLAFIX 800

- intended for all public and residential spaces
- very large initial strength of gluing



PU 456

- waterproof
- resistant to high temperature (up to +120°C)
- can be glued on a fresh layer of adhesive
- on levelled, absorbent or non-absorbent substrates
- for heavy in residential, commercial and industrial locations
- on warm water underfloor heating system



MULTI TEC

- on underfloor heating system
- adapted for office furniture (castor chair)
- very low consumption
- can be used on absorbent substrates

B▲uTec



TEC ADHESIVE IN SPRAY

- neoprene adhesive in aerosol facilitates and accelerates assembly,
- waterproof
- on underfloor heating system
- adapted for office furniture (castor chair etc)
- for each type of substrate

B▲uTec



TEC EXTRA

- on underfloor heating system
- neoprene adhesive, waterproof,
- adapted for office furniture (castor chair)
- very low consumption
- can be used on absorbent substrates

B▲uTec



ULTRABOND ECO 4 LVT

- fibre-reinforced
- on underfloor heating system
- adapted for office furniture (castor chair etc.)
- for use on the floor with high traffic



ULTRABOND ECO MS 4 LVT

- universal adhesive
- suitable for places where static and dynamic stresses are also intense;
- on underfloor heating system
- suitable for places where static and dynamic stresses are also intense
- suitable for rooms exposed to direct sunlight, to floors exposed to water



WAKOL D 3319

- fibre-reinforced
- on underfloor heating system
- adapted for office furniture (castor chair etc.)
- for interior use
- on absorbent substrates,
- for indoor use

WAKOL® 
Anspruch verbindet



SUMMARY

manufacturer	name of glue	use, type of floor	type of room	use		strong side
				residential	commercial	
Uzin*	UZIN KE 66 new	wet set adhesive; for use on floors and walls; For interior use; on absorbent and filled surfaces; on warm water underfloor heating system; for areas subject to high temperatures; for heavy in residential, commercial and industrial locations	for indoor use; to the premises: residential, commercial and industrial	x	x	short open time; odourless during and after application; very low consumption fibre-reinforced
Uzin*	KE2000S	for application with pressure sensitive, wet set adhesive and double drop bonding method use for floors and walls on warm water underfloor heating system for heavy in residential, commercial and industrial locations for interior use		x	x	excellent working properties good tack with stringing odourless during and after application
Uzin*	KR430	on flexible or deformable substrates on levelled, absorbent or non-absorbent substrates for heavy in residential, commercial and industrial locations on warm water underfloor heating system		x	x	odourless during and after application high resistance to heat and cold

Bostik*	Bostik Power Elastic (Solfix Power Elastic)	for use on: horizontal and vertical surfaces , concrete slabs, screeds (after using self-leveling masses); in the case of asphalt screed (or other non-absorbent floors), pour the self-leveling mortar to a thickness of at least 2 mm		x		short open time the strongest dispersion adhesive from the Bostik offer
Bostik*	Miplafix 800 (Sadertech V8, Technimang)	horizontal and vertical surfaces made of concrete, cement screeds, anhydrite screeds, covered in old tiles, old parquet, particle boards and OSB boards; also for metal and non-absorbent surfaces, undercoats and underfloor heating;	intended for all public and residential spaces	x	x	intended for all public and residential spaces very large initial strength of gluing
Bostik*	Bostik PU456 (Nibofloor PU16)	concretes with a smoothed texture; cement and anhydrite substrates; old tile, old parquets properly smoothed, plywood	kitchens in communal food establishments, for use under sports floors	x	x	waterproof resistant to high temperature (up to +120°C) can be glued on a fresh layer of adhesive

BauTec*	BauTec Multi Tec	<p>suitable for cement, concrete, anhydrite and wood substrates on underfloor heating system adapted for office furniture can be used on absorbent substrates</p>		x		<p>on underfloor heating system; adapted for office furniture (castor chair) very low consumption</p>
BauTec*	BauTec Tec Adhesive (spray)	<p>on underfloor heating system adapted for office furniture (castor chair etc) for each type of substrate can be used indoors and outdoors can be used on absorbent substrates</p>		x	x	<p>neoprene adhesive in aerosol facilitates and accelerates assembly, waterproof;</p>
BauTec*	BauTec Tec Extra	<p>on underfloor heating system adapted for office furniture (castor chair etc) for each type of substrate can be used indoors and outdoors can be used on absorbent substrates</p>		x	x	<p>neoprene adhesive, waterproof, adapted for office furniture (castor chair)</p>

Mapei*	Ultrabond Eco 4 LVT	for use on the floor with high pedestrian traffic, under load caused by the movement of wheelchairs and adapted for office furniture (castor chair etc.) fibre-reinforced on underfloor heating system adapted for office furniture (castor chair etc.) dedicated to LVT	for indoor use	x	x	fibre-reinforced on underfloor heating system adapted for office furniture (castor chair etc.) dedicated to LVT
Mapei*	Ultrabond Eco MS 4 LVT	suitable for properly prepared absorbent and non-absorbent substrates universal adhesive suitable for places where static and dynamic stresses are also intense; it is suitable for rooms exposed to direct sunlight, to floors exposed to water	to the premises: residential, commercial and industrial eg. hospitals, shopping centers, airports, kitchens in communal food establishments, showers, etc.; for indoor use	x	x	universal adhesive suitable for places where static and dynamic stresses are also intense; on underfloor heating system
Wakol*	WAKOL D 3319	on absorbent substrates, for indoor use; can be used on floors with underfloor heating and under furniture on wheels (castor chair etc.). Uneven and non- absorbent substrates should be filled with appropriate leveling mares	for indoor use	x		fibre-reinforced on underfloor heating system adapted for office furniture (castor chair etc.) for interior use

*Before using the adhesive, it is necessary to become familiar yourself with the assembly instructions of the adhesive