

**Arbiton**  
FLOOR EXPERT



# VINYL FLOORING

WITH MINERAL CORE

READ  
ON PAGE 6



reddot winner 2024

**Arbiton**  
FLOOR EXPERT





# TECHNOLOGY DESIGN INNOVATION

At Arbiton, technology merges seamlessly with the latest design trends to redefine what is possible in modern flooring solutions. Our commitment to staying at the forefront of innovation is reflected in our keen adoption of emerging design trends and our dedication to sustainable practices. We utilize advanced manufacturing techniques to craft flooring that is not only trend-setting but also environmentally friendly and durable. This strategic integration of technology and design ensures that each product meets the high standards of aesthetics and functionality demanded by contemporary spaces. Arbiton's approach is about shaping the future of flooring with every piece we create, making every space outstanding.



# THIS YEAR'S **HIGHLIGHTS**

Feature groundbreaking innovations and cutting-edge designs that set new standards in the industry—each carefully curated to ensure they offer both style and functionality.





reddot winner 2024

## **04 TECHNOLOGY**

REDDOT AWARD  
BEAUTIFUL AND PRACTICAL  
HD MINERAL CORE  
ANTISCRATCH - TITANIUM NANO LAYER  
REAL WOOD STRUCTURE  
FLOOR LOCKING TECHNOLOGIES  
DESIGN BEVEL

## **16 DESIGN**

DESIGNED BY A.DESIGN STUDIO  
COLOR OF THE YEAR  
INTERIOR TRENDS

## **26 INNOVATIONS**

CHEVRON 5G  
FORMA 5G CROSS

## **30 COLLECTIONS**


WIDE CHOICE OF FORMATS  
AMARON HERRINGBONE  
AMARON CHEVRON  
AMARON FORMA  
AMARON SUPERIORE  
AMARON WOOD DESIGN  
WOODRIC EIR / WOODRIC

## **92 COMPREHENSIVE FLOORING SYSTEM**

SKIRTING BOARDS  
UNDERLAYS



reddot winner 2024




# AWARD WINNING FLOOR

WITH **HD MINERAL CORE**®  
AND ACULAY INTEGRATED ACOUSTIC LAYER

HD Mineral Core flooring with the Aculay Acoustic Layer represent a breakthrough in room acoustic insulation systems. This high-performance solution is crafted using the patented SPC Rigid HD Mineral Core technology paired with Aculay acoustic layer - achieving a noise reduction of 21 dB / 10 dB DELTA Lin (tested and certified by TFI Aachen Institute). This means the noise intensity is decreased by four times. This acoustic isolation is attained through a patented pressing technique

of the insulation layer, which forms a surface with subtle, irregular indentations and protrusions. Such a design optimizes flex, dispersion, and absorption of sound waves. Beyond its functionality, this acoustic system also embodies a novel approach to material processing and a clear commitment to ecological responsibility. In contrast to traditional acoustic floors that faced recycling difficulties due to intricate layer separation, Aculay breaks this mold by being entirely recyclable.



—— **HD MINERAL  
CORE**®

—— **ACULAY**









# BEAUTIFUL AND PRACTICAL

Modern times become more and more hectic, full of challenges and responsibilities. We live fast, try to make the most of every single moment. We are pushed to look for new solutions, technologies and clever ways to adjust items all around us to meet needs and expectations. With this in mind, Arbiton HD Mineral Core® floor was created. This floor impresses and surprises with practicality. Inspired by nature, vinyl floors are entirely designed by European A.Design Studio. Created for people just like you, who get the most out of each moment and enjoy the life to the fullest. The Arbiton floor design not only matches the latest trends, but also go ahead of times and creates them. Thanks to the timeless design its beauty will amaze you every day. The pace of our life direct us towards solutions that will support and enhance us in everyday situations. That is why Arbiton HD Mineral Core® floors have been designed for their maximum comfort of use. Due to their advanced technical properties, they can be installed in any room without expansion joints between rooms. This allows to have beautiful, unified floor throughout the whole level of the apartment. With complete waterproofness and low thermal resistance they are perfect to fit in bathrooms with underfloor heating. They are easy to clean and antistatic, which prevents dust from adhering to them. Moreover, thanks to the innovative Antiscratch - Titanium Nano Layer they are up to 30% more scratch resistant. All of these features and properties mean that you get a floor which will meet the demands of our time. With Arbiton floor you can enjoy life thanks to not only its beauty but also a peace of mind with guaranteed unique functional properties.

# HD MINERAL CORE®

Through innovative research in our laboratories, we have engineered the **HD Mineral Core®**, a state-of-the-art blend of natural rock minerals and sophisticated polymers. This precision-engineered mix ensures the flooring's peak performance and unparalleled durability. Proudly, our **HD Mineral Core®** stands out for its absence of phthalates and any plasticizers, highlighting our commitment to environmental safety and quality.

Additionally, this groundbreaking technology secures a 25-year warranty on our flooring, alongside superior thermal conductivity, making it the premier choice for underfloor heating solutions.



# BENEFITS OF HD MINERAL CORE®

## THE PERFECT FLOOR FOR UNDERFLOOR HEATING




The perfect floor for underfloor heating - maximize your energy efficiency with Arbiton flooring! Efficient heating starts with the right flooring - choose our highconductive option for underfloor heating.

## OUR DIMENSIONALLY STABLE FLOORING

is designed to withstand daily wear and tear, year after year. Invest in long-lasting quality with our stable and durable flooring option. Prevent gaps and buckling for a seamless look.


## THE SAME HIGH-QUALITY TECHNOLOGY IN OUR GLUE-DOWN AND CLICK FLOORING OPTIONS

Choose the installation method that suits your needs - our technology is available in both click or glue!



# ANTISCRATCH LAYER


At Arbiton, we are committed to providing products that stand the test of time. Our **ANTISCRATCH TITANIUM NANO LAYER** is a testament to this commitment. This special coating layer is designed to offer unparalleled protection against scratches. Advanced titanium nano technology embedded within the layer enhances its durability, making it 30% more resistant to scratches compared to other vinyl flooring panels available on the market. This innovative approach ensures that our floors maintain their pristine appearance longer, offering peace of mind and sustained beauty in high-traffic areas. And, for those who share their home with four-legged friends, rest easy—our flooring can handle even the most enthusiastic tail wags and playful scratches. With Arbiton, you choose flooring that combines the ultimate in design trends with robust performance, making it a paw-sitively perfect choice for pet owners.



**ANTI-  
SCRATCH**



**30%  
MORE  
RESISTANT SURFACE**



# REAL WOOD STRUCTURE

High variety of designs means more natural impression of flooring. Perfect resemblance of wooden boards is a key benefit of our new collections. Minimum of 10 different planks in each colour means naturally flowing design without repetition of grains and knots.

For those who strive for the best looking floor and high durability we have prepared an absolute novelty. Our new collections is made using embossing technology perfectly resembling wooden structure on a planks.

The EIR (embossed in register) technology we are using allow us to achieve higher resolution of embossing, meaning higher density of details enriching surface of planks. Our design has more knots, grain, clear figure, small indentation that create real wooden characteristic of the plank. A beautiful matte surface will gently emphasize the beautiful finish of the floor.

**REAL** <sup>EIR</sup>  
**WOOD**  
**STRUCTURE**

**DEEP MATT  
SURFACE**

**NATURAL FLOW  
OF DESIGNED  
STRUCTURE**

**HIGH RESOLUTION  
EMBOSSING**



TECHNOLOGY

# FLOOR LOCKING TECHNOLOGIES

We make use of the reputable Välinge company's license to ensure the highest quality for our flooring products. By incorporating their innovative locking system into our floors, we guarantee durability and ease of installation.



## FIRST 5G CROSS LOCKING SYSTEM **IN EUROPE**



5G Cross is Välinge's revolutionary floor locking technology that makes straight-set floor installations fast, easy, and effortless. It has a unique cross-component that makes it possible to install floors in rectangle and square patterns without panels moving or shifting. It's user-friendly, works with all materials and sizes, and is a perfect alternative to traditional ceramic tiles.

# PERFECT CONNECTION

The bevel of a panel is yet another aspect that brings us closer to the authentic design of real wood planks. Arbiton's DESIGN BEVEL technology exemplifies this approach through its unique 4-sided V-groove, which seamlessly extends the design of the panel onto the bevel itself.

This innovative feature creates a remarkable visual continuity that mimics the look and feel of genuine wooden boards. By integrating the pattern and texture across the surface and into the bevels, Arbiton ensures that each panel not only resembles real wood but also enhances the overall aesthetic coherence of the flooring.

This attention to detail provides an added dimension of realism and sophistication, making it an ideal choice for those seeking the natural beauty of wood with the durability and ease of maintenance offered by modern flooring solutions.

DESIGN  
**BEVEL**



DESIGN

# A DESIGN STUDIO

## OAK-INSPIRED FLOORING MASTERY

“

**Discover the Timeless Elegance:  
Oak Forest-Inspired  
HD Mineral Core® Vinyl Flooring**

*Embark on a journey through the ancient forests of Europe with our latest HD Mineral Core® vinyl flooring designs. Inspired by the majestic oak forests that have stood the test of time, our flooring encapsulates the rich heritage and natural beauty of these pristine woodlands.*

*Crafted with meticulous attention to detail and featuring an HD Mineral Core® for enhanced durability, each piece is a testament to the enduring legacy of European oak. From the intricate grain patterns to the earthy hues, every element is carefully curated to evoke the serene ambiance of the forest floor.*





*Whether you envision a rustic retreat or a modern sanctuary, our oak forest-inspired HD Mineral Core® vinyl flooring offers versatility and sophistication to any space.*

*Elevate your interior design with the timeless elegance of nature's masterpiece. Experience the essence of centuries-old charm with our Oak Forest-Inspired HD Mineral Core® Vinyl Flooring. Redefine luxury, redefine your space.*



**AMARON WOOD EIR**  
MENOR OAK

DESIGN

# COLOR OF THE YEAR 2024

## TRENDS

In this chapter of our catalog, we explore the various interior design styles and how the shades and character of flooring can shape the overall look and feel of a space. The choice of flooring can significantly influence the ambiance, whether it's the clean lines of mid-century modern, the refined sophistication of quiet luxury, the free-spirited nature of boho, or the minimalist elegance of Japandi and wabi-sabi designs. Each style has its unique aesthetic, and selecting the right flooring can make all the difference in achieving your desired interior design. Let us guide you through these distinctive styles and help you find the perfect flooring solution to elevate your space.





PEACH  
FUZZ  
PANTONE  
13-1023

BRANDIED  
APRICOT  
PANTONE  
16-1610

ALMOND  
PEACH  
PANTONE  
12-1406

## PEACH FUZZ

Peach Fuzz, Pantone's Color of the Year for 2024, is a tender peach hue that captures the essence of a calm, inviting dawn. This color naturally complements interiors with light, bleached, and grey-infused floors, subtly enhancing the space's sense of openness and serenity. When paired with harmonious shades such as Brandied Apricot and Almond Peach, Peach Fuzz elevates the aesthetic, crafting interiors that are not only inviting but inherently stylish. The interplay of these colors with light flooring options effortlessly creates an environment of contemporary elegance and warm tranquility, embodying a refined design ethos.



DESIGN



Quiet Luxury epitomizes a sophisticated design ethos, foregrounding understated elegance in an era increasingly aware of socio-economic subtleties. This design trend champions a minimalist aesthetic in its visual presentation while embracing a maximalist approach to the quality and richness of materials. The blend of antique details with modern

elements creates a luxuriously subtle ambiance, integrating plush fabrics like velvet and linen alongside premium materials such as marble and polished hardwood floors. These choices convey a discreet opulence that aligns with contemporary values.



PECAN  
BROWN  
PANTONE  
17-1430

PERFECT  
PEAR  
PANTONE  
16-0531

RAL 5002

## QUIET LUXURY

Quiet Luxury diverges from the previous decade's emphasis on conspicuous consumption and moves toward a more considered expression of affluence. In a time characterized by economic shifts and a deeper social consciousness, this style offers a vision of luxury that is introspective and reserved. It promotes an environment where luxury is embedded in the quality and craftsmanship of the surroundings - a space where beauty and sophistication speak through the calm assurance of design that does not need to proclaim its value loudly. This philosophy not only elevates the aesthetic of the space but also supports a lifestyle where true luxury means finding richness in simplicity and elegance in restraint.




**AMARON FORMA**  
AVEIRO SILVER  
CAF 253

# WABI SABI

Wabi-sabi, the Japanese aesthetic philosophy, emphasizes the beauty found in imperfection, impermanence, and simplicity. In interior design, wabi-sabi represents an appreciation for the raw, organic, and unrefined elements of life, promoting a minimalist approach and often incorporating handcrafted items and natural materials. This aesthetic uses a palette of subdued, earthy tones that instill calm and foster a connection with the natural environment. For flooring, concrete-patterned floors with their naturally imperfect textures and subtle, neutral shades ideally reflect the wabi-sabi spirit. Their rugged finish harmonizes with the philosophy of valuing the beauty of natural imperfections and the passage of time.

The reason for shifting the focus from oak to concrete-patterned flooring lies in the inherent qualities of concrete that align well with the wabi-sabi theme. Concrete's visually textured surface and its utilitarian, often flaw-marked appearance naturally embody wabi-sabi's appreciation for the beauty of the „imperfect, impermanent, and incomplete“. This makes concrete a suitable choice for evoking a serene, grounded aesthetic that complements the minimalist, nature-inspired elements of wabi-sabi interior design.



AMADORA GREY  
AMARON FORMA  
CAF 257

RAL 7047

PANTONE  
NCS S2005-Y60R



# JAPANDI

Japandi, a unique fusion of Japanese and Scandinavian design principles, has emerged as a popular interior design trend that brings together the best of both worlds. By combining the simplicity and minimalism of Scandinavian design with the elegance and sophistication of Japanese aesthetics, Japandi creates a harmonious balance between form and function. This design style emphasizes clean lines, natural materials, and a neutral color palette, creating a sense of serenity and tranquility within the space. Japandi interiors often feature a mix of wood, stone, and natural textures, as well as an emphasis on craftsmanship and attention to detail. When it comes to flooring, oak floors with a subtle, muted color palette and a natural, matte finish perfectly complement the Japandi style, echoing the warmth and timeless character of this design philosophy.



**JOHANNES OAK**  
AMARON CHEVRON  
CLC 222



RAL 7047

PANTONE  
5005 U

# MID-CENTURY

Mid-century modern is a design style that originated in the mid-20th century, characterized by its clean lines, organic shapes, and emphasis on functionality. This style pays homage to the iconic furniture designs and architectural trends of the 1950s and 1960s, often incorporating elements such as tapered legs, geometric patterns, and a mix of natural and synthetic materials. The color palette for mid-century interiors typically includes a combination of neutral tones, vibrant colors, and earthy hues, reflecting the optimism and innovation of the era. In mid-century spaces, minimal ornamentation and an open layout create a sense of flow and harmony, allowing the iconic furniture pieces and accessories to take center stage. When it comes to flooring, oak floors with a warm, medium-toned finish and a subtle grain pattern are a perfect match for the mid-century style, providing a timeless and elegant backdrop that complements the distinctive design elements and adds a touch of warmth to the overall aesthetic.

**MONTANA OAK**  
AMARON WOOD  
CAS 225

NSC S8505-R80B

PANTONE  
7484 C





# BOHO

Boho, short for bohemian, is an eclectic and free-spirited interior design style that embraces a mix of colors, patterns, textures, and cultural influences. Boho interiors are characterized by a relaxed and inviting atmosphere, often featuring an abundance of greenery, vintage furniture, and a variety of decorative accents. Layering different textiles, such as rugs, throws, and cushions, is a key element of this design style, as well as incorporating a diverse range of art, antiques, and travel souvenirs. Boho spaces celebrate creativity, individuality, and the art of self-expression. When it comes to flooring, oak floors with warm, rich tones and a slightly distressed or aged finish provide the ideal foundation for a boho-inspired space, adding an authentic, lived-in charm that enhances the overall aesthetic.



**BEATRICE OAK**  
AMARON SUPERIORE  
CASS 205



RAL 1032

PANTONE  
480 C

INNOVATION



**FLOOR LOCKING 5G**  
TECHNOLOGY



# AMARON 《CHEVRON》


The Amaron Chevron collection is revolutionizing the flooring industry with its cutting-edge 5G click technology. This pioneering innovation guarantees an effortless and smooth installation experience, setting a new standard for convenience and efficiency. Unlike the complicated and time-consuming traditional methods typically required for intricate chevron patterns, the 5G click technology simplifies the process dramatically. This technology not only speeds up installation but also ensures a flawless alignment and secure locking of the flooring panels, enhancing both the aesthetic appeal and durability of the flooring. Amaron Chevron's commitment to innovation provides customers with a high-quality, stress-free solution for achieving the elegant look of chevron flooring without the usual complexities.

FIND  
THE  
**NEW ANGLE**

INNOVATION

# REAL TILES MORE THAN JUST CERAMIC

**FIRST 5G CROSS**  
MADE IN EUROPE!





# AMARON FORMA

For this collection, we employ a revolutionary locking system specifically designed for ceramic-style flooring, enhancing the ease and precision of installation. The innovative 5G Cross Lock technology, featuring a unique cross-shaped mechanism, securely locks four panels in place, ensuring they remain perfectly aligned in a rectangular pattern set in a straight configuration. This advanced design significantly increases the overall strength, resilience, and durability of the flooring, preventing any shifting of the panels. The result is a flawless ceramic floor effect, achieved with the utmost simplicity and without the need for grout. This system not only simplifies the installation process but also elevates the integrity and longevity of the flooring, providing an elegant, maintenance-free solution that is ideal for modern living spaces.

Our collection introduces a special Pin feature that allows for the effortless removal of a single panel from the entire row. This addition to the innovative 5G Cross Lock technology enhances the functionality and flexibility of our ceramic design flooring. With this feature, you can easily replace or access a specific panel without disturbing the surrounding setup, making maintenance and updates remarkably straightforward. This thoughtful design element ensures that our flooring system not only delivers aesthetic excellence and durability but also offers practical benefits that accommodate the dynamic needs of everyday use.







# COLLECTIONS

Explore the diversity of our collections: Amaron focuses on design, offering a wide range of formats and décors, while Woodric provides a broad spectrum of colors in the classic plank format.

## AMARON **HERRINGBONE**

Discover Amaron Herringbone: a classic style redefined with an impressive selection of 16 colors to customize your space.

## AMARON **CHEVRON**

Discover Amaron Chevron: a novel and unique design previously exclusive to wood, now reimaged in our latest collection.

## AMARON **FORMA**

Experience Amaron Forma: the true beauty of tiles coupled with revolutionary installation, elevating simplicity and elegance.

## AMARON **SUPERIORE**

Introducing Amaron Superiore: our longest plank at 2.18 meters, setting a new standard in flooring with its striking design.

## AMARON **WOOD**

Explore Amaron Wood: our bestselling collection featuring 1.5-meter planks that beautifully blend tradition and innovation.

## WOODRIC

Woodric offers a wide array of colors, providing endless possibilities to personalize your interior design.

# WIDE CHOICE OF FORMATS

Explore our diverse collections in this detailed spread that highlights the distinct sizes and designs of each series. From the elegance of the 2.18-meter Amaron Superiore planks to the classic charm of Woodric's color range and the sophisticated patterns of Amaron Chevron, find the ideal solution to elevate any interior.

## AMARON HERRINGBONE

592 mm



148 mm

## AMARON CHEVRON

600 mm



120 mm

## AMARON FORMA

914 mm



457mm



AMARON  
**SUPERIORE 2.2**



2180 mm

229 mm

THE **LONGEST** SPC PLANK!

AMARON  
**WOOD**



1511 mm

229 mm

**WOODRIC**



1220 mm


229 mm



# AMARON HERRINGBONE



25 YEARS  
WARRANTY  
RESIDENTIAL







DRYBACK  
FLOORING




CLICK  
FLOORING



UNDERFLOOR  
HEATING



CA 158 | HARLOW OAK






# AMARON HERRINGBONE

Fashion passes- just to return later. Trends come and go but precious few hold on for a long time. Our Amaron Herringbone vinyl click floor is designed to belong to the latter group. Thanks to specially designed locking system this collection might be arranged in the iconic English herringbone pattern. This is an amazing way to adjunct traditional interior arrangements.






**PRESTON OAK**

Click: 5905167839362 CA 167


Dryback: 5905167857595 DA 167



**HARLOW OAK**

Click: 5905167826676 CA 158


Dryback: 5905167857557 DA 158



**WEMBLEY OAK**

Click: 5905167826683 CA 159


Dryback: 5905167857564 DA 159



**YANKEE OAK**

Click: 5905167839348 CA 153

Dryback: 5905167857571 DA 153



**DEARWOOD OAK**

Click: 5905167857632      CA 187


Dryback: 5905167857649      DA 187



**STAMFORD OAK**


Click: 5905167839515      CA 181  
Dryback: 5905167857625      DA 181





**WINDSOR OAK**

Click: 5905167839539    CA 184  
Dryback: 5905167857649    DA 184



**GEORGETOWN OAK**

Click: 5905167839355    CA 147  
Dryback: 5905167857588    DA 147



**REAL**<sup>EIR</sup>  
**WOOD**  
**STRUCTURE**

## **EMPIRE OAK**

Click: 5905167857106

CAS 226

Dryback: 5905167857663

DAS 226



**REAL** <sup>EIR</sup>  
**WOOD**  
**STRUCTURE**

## **MENOR OAK**

Click: 5905167857090    CAS 223

Dryback: 5905167857656    DAS 223



**REAL** <sup>EIR</sup>  
**WOOD**  
**STRUCTURE**


**DEVENTER OAK**

Click: 5905167857120

CAS 236

Dryback: 5905167857687


DAS 236



**PRINCETON OAK**

Click: 5905167873915      CAS 228


Dryback: 5905167873953      DAS 228



**ROCHESTER OAK**

Click: 5905167873922      CAS 229


Dryback: 5905167873960      DAS 229



**JOHANNES OAK**

Click: 5905167873892      CAS 222

Dryback: 5905167873939      DAS 222



**VIRGIN OAK**

Click: 5905167873908      CAS 227

Dryback: 5905167873946      DAS 227





**REAL** <sup>EIR</sup>  
**WOOD**  
**STRUCTURE**

## **BURBON OAK**

Click: 5905167857113 CAS 208

Dryback: 5905167857670 DAS 208

# AMARON CHEVRON



CLC 227 | **VIRGIN OAK**






# AMARON CHEVRON

The Amaron Chevron collection is transforming the flooring industry with its advanced 5G click technology, offering a quick and seamless installation experience. This innovative technology simplifies the installation of complex chevron patterns, dramatically reducing time and effort. It ensures perfect alignment and secure locking, improving both the look and durability of the flooring.






**VIRGIN OAK**

Click: 5905167873311


CLC 227



**JOHANNES OAK**

Click: 5905167873298

CLC 222



**MENOR OAK**

Click: 5905167873304

CLC 223





**ROCHESTER OAK**

Click: 5905167873328

CLC 229

# AMARON FORMA



CAF 253 | AVEIRO SILVER






# AMARON FORMA

Discover the Arbiton AMARON FORMA Collection: A groundbreaking fusion of elegant design and innovative technology. This collection features our exclusive 5G CROSS lock system, ensuring easy installation and superior stability. Inspired by natural elements and available in five refined shades, the FORMA collection redefines modern elegance.








**AMADORA GREY**

Click: 5905167876749


CAF 257



**AMADORA ANTHRACITE**

Click: 5905167876763

CAF 259



**AMADORA** GRAPHITE

Click: 5905167876756

CAF 258



**NINAVENTURA SILVER**

Click: 5905167876770

CAF 261



**NINAVENTURA GREY**


Click: 5905167876787

CAF 262



**NINAVENTURA ANTHRACITE**

Click: 5905167876800 CAF 264



**NINAVENTURA GRAPHITE**

Click: 5905167876794

CAF 263



**BRAGA SILVER**

Click: 5905167876701


CAF 250



**AVEIRO GREY**

Click: 5905167876725

CAF 254



**LELLO BONE**

Click: 5905167876817

CAF 265



**RIBEIRA SILVER**

Click: 5905167876732

CAF 256

# AMARON SUPERIORE




25 YEARS  
WARRANTY  
RESIDENTIAL




CLICK  
FLOORING





UNDERFLOOR  
HEATING



10 UNIQUE  
PLANK  
DESIGNS



5,0 / 0,55 mm



CASS 234 | CHEVALIER OAK








# AMARON SUPERIORE

A collection created for the most demanding. The largest panel available, 2180 mm long and 229 mm wide. Additionally, NATURAL SYNCHRONE STRUCTURE, faithfully resembles natural wood. In four delightful designs, beautiful natural shades of oak. The perfect floor, created for perfect interiors.






**ASTURIA OAK**

Click: 5905167856536

CASS 210



**BURBON OAK**


Click: 5905167856529

CASS 208




**CHARLOTTE OAK**

Click: 5905167856550    CASS 233



**SEGOVIA OAK**

Click: 5905167856512    CASS 225




**BEATRICE OAK**

Click: 5905167856505 CASS 205




**CHEVALIER OAK**  
Click: 5905167856567 CASS 234



**GREYLAND OAK**

Click: 5905167856543    CASS 202



**BALMORAL OAK**

Click: 5905167856574    CASS 235

# AMARON WOOD




25 YEARS  
WARRANTY  
RESIDENTIAL




CLICK  
FLOORING



UNDERFLOOR  
HEATING



DRYBACK  
FLOORING




2,5 / 0,55 mm



236 mm

1518 mm




5,0 / 0,55 mm



229 mm

1511 mm



CAS 224 | CORNEL OAK





reddot winner 2024

# AMARON WOOD


Amaron WOOD means expressive designs which will create the character of the interior. The floors in this collection have the highest usage class, created for the most demanding customers. This floor will play first fiddle. The 5G lock makes the floor easy and fast to install. A beautiful floor is a crucial element of interior design.






**ALASKAN OAK**

Click: 5905167856369 CA 102  
Dryback: 5905167857694 DA 102  
Acoustic: 5905167861349 CAA 102



**YANKEE OAK**

Click: 5905167856376 CA 153  
Dryback: 5905167857700 DA 153  
Acoustic: 5905167861356 CAA 153



**SIERRA OAK**

Click: 5905167856383      CA 154  
Dryback: 5905167857717      DA 154  
Acoustic: 5905167861363      CAA 154



**GEORGETOWN OAK**

Click: 5905167856390      CA 147  
Dryback: 5905167857724      DA 147  
Acoustic: 5905167861370      CAA 147



**REAL**<sup>EIR</sup>  
**WOOD**  
**STRUCTURE**

**TAMPA OAK**

Click: 5905167856406    CAS 220

Dryback: 5905167857731    DAS 220

Acoustic: 5905167861387    CASA 220



**REAL<sup>EIR</sup>**  
**WOOD**  
**STRUCTURE**

## **MATTARI OAK**

Click: 5905167856413      CAS 221

Dryback: 5905167857748      DAS 221

Acoustic: 5905167861394      CASA 221



**JOHANNES OAK**

Click: 5905167856420      CAS 222  
Dryback: 5905167857755      DAS 222  
Acoustic: 5905167861400      CASA 222



**MENOR OAK**

Click: 5905167856437      CAS 223  
Dryback: 5905167857762      DAS 223  
Acoustic: 5905167861417      CASA 223



**PRINCETON OAK**

Click: 5905167856482      CAS 228  
Dryback: 5905167857816      DAS 228  
Acoustic: 5905167861462      CASA 228



**VIRGIN OAK**

Click: 5905167856475      CAS 227  
Dryback: 5905167857809      DAS 227  
Acoustic: 5905167861455      CASA 227





### ROCHESTER OAK

Click: 5905167856499      CAS 229  
Dryback: 5905167857823      DAS 229  
Acoustic: 5905167861479      CASA 229



### EMPIRE OAK

Click: 5905167856468      CAS 226  
Dryback: 5905167857793      DAS 226  
Acoustic: 5905167861448      CASA 226

# WOODRIC




20 YEARS  
WARRANTY  
RESIDENTIAL




CLICK  
FLOORING




UNDERFLOOR  
HEATING




DRYBACK  
FLOORING



10 UNIQUE  
PLANK  
DESIGNS




4,0 / 0,55 mm




229 mm

1220 mm




5,3 / 1,3 / 0,55 mm




229 mm

1220 mm




2,5 / 0,55 mm



236 mm

1227 mm



CW 175 | WHITECREEK OAK





reddot winner 2024



# WOODRIC

Woodric EIR has beautiful 12 designs that are enriched with deep embossing to resemble natural wood board in the most honest way. Embossed in register technology allow to create indentation on the board that will create the unique pattern of wood. All of this premium visual and haptic features comes with wellknown durability of HD Mineral Core® technology.





**MEDICCI OAK**

Click: 5905167847572      CW 177  
Dryback: 5905167855492      DW 177  
Acoustic: 5905167858172      CWA 177




**PETERSON OAK**

Click: 5905167847589      CW 178  
Dryback: 5905167855508      DW 178  
Acoustic: 5905167858189      CWA 178



**ROCKFORD OAK**

Click: 5905167847596      CW 179  
Dryback: 5905167855515      DW 179  
Acoustic: 5905167858196      CWA 179



**LAWRENCE OAK**

Click: 5905167847602      CW 180  
Dryback: 5905167855522      DW 180  
Acoustic: 5905167858202      CWA 180



## **STAMFORD** OAK

Click: 5905167847619      CW 181

Dryback: 5905167855539      DW 181

Acoustic: 5905167858219      CWA 181



## **HOLMAN OAK**

Click: 5905167847626 CW 182

Dryback: 5905167855546 DW 182

Acoustic: 5905167858226 CWA 182





**ROSEVILLE OAK**

Click: 5905167847633      CW 183  
Dryback: 5905167855553      DW 183  
Acoustic: 5905167858233      CWA 183




**WINDSOR OAK**

Click: 5905167847640      CW 184  
Dryback: 5905167855560      DW 184  
Acoustic: 5905167858240      CWA 184




**TIMBERSLAND OAK**

Click: 5905167847657      CW 185  
Dryback: 5905167855577      DW 185  
Acoustic: 5905167858257      CWA 185



**LAKWOOD OAK**

Click: 5905167847664      CW 186  
Dryback: 5905167855584      DW 186  
Acoustic: 5905167858264      CWA 186



## **DAYTON** OAK

Click: 5905167847671      CWS 201

Dryback: 5905167855591      DWS 201

Acoustic: 5905167858271      CWSA 201



## **BALTIMORE** OAK

Click: 5905167847688 CWS 202

Dryback: 5905167855607 DWS 202

Acoustic: 5905167858288 CWSA 202



**ELDBORG OAK**

Click: 5905167847701    CWS 204  
Dryback: 5905167855621    DWS 204  
Acoustic: 5905167858301    CWSA 204



**BRANDON OAK**

Click: 5905167847695    CWS 203  
Dryback: 5905167855614    DWS 203  
Acoustic: 5905167858295    CWSA 203




**HIGHLANDS OAK**

Click: 5905167847718      CWS 205  
Dryback: 5905167855638      DWS 205  
Acoustic: 5905167858318      CWSA 205



**LAVANT OAK**

Click: 5905167847725      CWS 206  
Dryback: 5905167855645      DWS 206  
Acoustic: 5905167858325      CWSA 206



## **NORLAND** OAK

Click: 5905167847732      CWS 207

Dryback: 5905167855652      DWS 207

Acoustic: 5905167858332      CWSA 207



**GARLAND OAK**

Click: 5905167847749 CWS 208

Dryback: 5905167855669 DWS 208


Acoustic: 5905167858349 CWSA 208






**SALERNO OAK**

Click: 5905167847756      CWS 209  
Dryback: 5905167855676      DWS 209  
Acoustic: 5905167858356      CWSA 209



**CAVILLON OAK**

Click: 5905167847763      CWS 210  
Dryback: 5905167855683      DWS 210  
Acoustic: 5905167858363      CWSA 210



**DALLAS OAK**

Click: 5905167847770      CWS 211  
Dryback: 5905167855690      DWS 211  
Acoustic: 5905167858370      CWSA 211




**LINCOLN OAK**

Click: 5905167847787      CWS 212  
Dryback: 5905167855706      DWS 212  
Acoustic: 5905167858387      CWSA 212



# STIQ XL WOOD




- WATERPROOF
- JUST GLUE
- IMPACT RESISTANT
- HOMOGENEOUS MATERIAL (100% PVC FREE)
- NO PAINTS AND LACQUERS
- VOC FREE
- PERFECT FOR RECYCLING
- DEDICATED TO VINYL FLOORING & CERAMIC

**STIQ**  
MADE FROM 80%  
OF RECYCLED  
RAW MATERIAL


|   |  |  |  |   |
|---|--|--|--|---|
| <br>100%<br>WATERPROOF | <br>JUST GLUE | <br>IMPACT<br>RESISTANT | DEDICATED TO<br>VINYL<br>FLOORING<br>& CERAMIC | <br>WOOD<br>EFFECT |
|---|--|--|--|---|



# TORE MONOCOLOR



- SOLID CORE SKIRTING BOARD
- DEEP MATT SURFACE
- 100% WATERPROOF SKIRTING BOARDS
- FLEXIBLE CORE, PERFECT FOR ANY KIND OF WALL
- INSTALLATION WITH GLUE OR CLIPS
- GLUING CHANNEL





**STIQ XL**  
WOOD  
CROSS COLORS

| PRODUCT NAME | COLOR          | COLOR CODE | STIQ XL WOOD      |
|--------------|----------------|------------|-------------------|
| AMARON WOOD  | ALASKAN OAK    | CA 102     | 230 MORGES OAK    |
| AMARON WOOD  | YANKEE OAK     | CA 153     | 255 WORCESTER OAK |
| AMARON WOOD  | SIERRA OAK     | CA 154     | 285 LISBOA OAK    |
| AMARON WOOD  | GEORGETOWN OAK | CA 147     | 270 HANOI OAK     |
| AMARON WOOD  | TAMPA OAK      | CAS 220    | 130 NICE OAK      |
| AMARON WOOD  | MATTARI OAK    | CAS 221    | 129 MURTEN OAK    |
| AMARON WOOD  | JOHANNES OAK   | CAS 222    | 126 TRONDHEIM OAK |
| AMARON WOOD  | MENOR OAK      | CAS 223    | 133 FLAM OAK      |
| AMARON WOOD  | CORNEL OAK     | CAS 224    | 125 ALGARVE OAK   |
| AMARON WOOD  | MONTANA OAK    | CAS 225    | 121 ALAMNDA OAK   |
| AMARON WOOD  | EMPIRE OAK     | CAS 226    | 120 AVEIRO OAK    |
| AMARON WOOD  | VIRGIN OAK     | CAS 227    | 255 WORCESTER OAK |
| AMARON WOOD  | PRINCETON OAK  | CAS 228    | 126 TRONDHEIM OAK |
| AMARON WOOD  | ROCHESTER OAK  | CAS 229    | 270 HANOI OAK     |

| PRODUCT NAME       | COLOR          | COLOR CODE | STIQ XL WOOD      |
|--------------------|----------------|------------|-------------------|
| AMARON HERRINGBONE | HARLOW OAK     | CA 158     | 127 ANKARA OAK    |
| AMARON HERRINGBONE | WEMBLEY OAK    | CA 159     | 123 LUGANO OAK    |
| AMARON HERRINGBONE | YANKEE OAK     | CA 153     | 255 WORCESTER OAK |
| AMARON HERRINGBONE | GEORGETOWN OAK | CA 147     | 270 HANOI OAK     |
| AMARON HERRINGBONE | PRESTON OAK    | CA 167     | 129 MURTEN OAK    |
| AMARON HERRINGBONE | STAMFORD OAK   | CA 181     | 127 ANKARA OAK    |
| AMARON HERRINGBONE | DEARWOOD OAK   | CA 187     | 127 ANKARA OAK    |
| AMARON HERRINGBONE | WINDSOR OAK    | CA 184     | 128 LAGOS OAK     |
| AMARON HERRINGBONE | MENOR OAK      | CAS 223    | 133 FLAM OAK      |
| AMARON HERRINGBONE | EMPIRE OAK     | CAS 226    | 120 AVEIRO OAK    |
| AMARON HERRINGBONE | BURBON OAK     | CAS 208    | 270 HANOI OAK     |
| AMARON HERRINGBONE | DEVENTER OAK   | CAS 236    | 127 ANKARA OAK    |
| AMARON HERRINGBONE | JOHANNES OAK   | CAS 222    | 126 TRONDHEIM OAK |
| AMARON HERRINGBONE | VIRGIN OAK     | CAS 227    | 255 WORCESTER OAK |
| AMARON HERRINGBONE | PRINCETON OAK  | CAS 228    | 126 TRONDHEIM OAK |
| AMARON HERRINGBONE | ROCHESTER OAK  | CAS 229    | 270 HANOI OAK     |

| PRODUCT NAME   | COLOR         | COLOR CODE | STIQ XL WOOD      |
|----------------|---------------|------------|-------------------|
| AMARON CHEVRON | JOHANNES OAK  | CLC 222    | 126 TRONDHEIM OAK |
| AMARON CHEVRON | MENOR OAK     | CLC 223    | 133 FLAM OAK      |
| AMARON CHEVRON | VIRGIN OAK    | CLC 227    | 255 WORCESTER OAK |
| AMARON CHEVRON | ROCHESTER OAK | CLC 229    | 270 HANOI OAK     |



**STIQ XL**  
WOOD  
CROSS COLORS

| PRODUCT NAME         | COLOR         | COLOR CODE | STIQ XL WOOD      |
|----------------------|---------------|------------|-------------------|
| AMARON SUPERIORE EIR | BEATRICE OAK  | CASS 205   | 125 ALGARVE OAK   |
| AMARON SUPERIORE EIR | SEGOVIA OAK   | CASS 225   | 121 ALAMNDA OAK   |
| AMARON SUPERIORE EIR | BURBON OAK    | CASS 208   | 270 HANOI OAK     |
| AMARON SUPERIORE EIR | ASTURIA OAK   | CASS 210   | 125 ALGARVE OAK   |
| AMARON SUPERIORE EIR | GREYLAND OAK  | CASS 202   | 130 NICE OAK      |
| AMARON SUPERIORE EIR | CHARLOTTE OAK | CASS 233   | 129 MURTEN OAK    |
| AMARON SUPERIORE EIR | CHEVALIER OAK | CASS 234   | 126 TRONDHEIM OAK |
| AMARON SUPERIORE EIR | BALMORAL OAK  | CASS 235   | 120 AVEIRO OAK    |

| PRODUCT NAME | COLOR         | COLOR CODE | STIQ XL WOOD      |
|--------------|---------------|------------|-------------------|
| WOODRIC EIR  | DAYTON OAK    | CWS 201    | 132 OLTEN OAK     |
| WOODRIC EIR  | BALTIMORE OAK | CWS 202    | 130 NICE OAK      |
| WOODRIC EIR  | BRANDON OAK   | CWS 203    | 127 ANKARA OAK    |
| WOODRIC EIR  | ELDBORG OAK   | CWS 204    | 129 MURTEN OAK    |
| WOODRIC EIR  | HIGHLANDS OAK | CWS 205    | 255 WORCESTER OAK |
| WOODRIC EIR  | LAVANT OAK    | CWS 206    | 255 WORCESTER OAK |
| WOODRIC EIR  | NORRLAND OAK  | CWS 207    | 126 TRONDHEIM OAK |
| WOODRIC EIR  | GARLAND OAK   | CWS 208    | 133 FLAM OAK      |
| WOODRIC EIR  | SALERNO OAK   | CWS 209    | 126 TRONDHEIM OAK |
| WOODRIC EIR  | CAVAILLON OAK | CWS 210    | 124 FARO OAK      |
| WOODRIC EIR  | DALLAS OAK    | CWS 211    | 270 HANOI OAK     |
| WOODRIC EIR  | LINCOLN OAK   | CWS 212    | 131 BASEL OAK     |

| PRODUCT NAME | COLOR           | COLOR CODE | STIQ XL WOOD      |
|--------------|-----------------|------------|-------------------|
| WOODRIC      | WHITECREEK OAK  | CW 175     | 220 NANTES OAK    |
| WOODRIC      | HAYWORTH OAK    | CW 176     | 132 OLTEN OAK     |
| WOODRIC      | MEDICCI OAK     | CW 177     | 130 NICE OAK      |
| WOODRIC      | PETERSON OAK    | CW 178     | 131 BASEL OAK     |
| WOODRIC      | ROCKFORD OAK    | CW 179     | 133 FLAM OAK      |
| WOODRIC      | LAWRENCE OAK    | CW 180     | 129 MURTEN OAK    |
| WOODRIC      | STAMFORD OAK    | CW 181     | 127 ANKARA OAK    |
| WOODRIC      | HOLMAN OAK      | CW 182     | 133 FLAM OAK      |
| WOODRIC      | ROSEVILLE OAK   | CW 183     | 126 TRONDHEIM OAK |
| WOODRIC      | WINDSOR OAK     | CW 184     | 128 LAGOS OAK     |
| WOODRIC      | TIMBERSLAND OAK | CW 185     | 125 ALGARVE OAK   |
| WOODRIC      | LAKEWOOD OAK    | CW 186     | 123 LUGANO OAK    |


# ENERGY SAVING FLOORING SYSTEM



1

2

3



STEP 1

Vapour barrier foil (SD150m) protects against moisture and features a system of adhesive tapes that secure against movement of the underlay


STEP 2

It enhances heating efficiency due to its high thermal insulation parameter; high compressive strength CS=500 kPa allows for the use of click vinyl, and thanks to its 5 mm thickness, it's possible to conceal cables connecting the heating films.

STEP 3

Protects the heating film from mechanical damage thanks to the soft non-woven fabric, additionally secures the system against moisture penetration from above. Easy connection due to the integrated tape.


THE TOTAL THICKNESS OF THE **COMPLETE SYSTEM** IS **10 MM** (including floor).







**NEW!**




**AQUAPROTEC VAPOUR BARRIER**



|           |         |
|-----------|---------|
| MATERIAL  | -       |
| THICKNESS | 0,18 mm |
| FORM      | ROLL    |

|      |                   |
|------|-------------------|
| SIZE | 10 m <sup>2</sup> |
| SD   | <150 m            |
| EAN  | 5905167875223     |



**NEW!**



**SECURA HEAT VINYL CLICK**

**NEW!**



|           |                             |
|-----------|-----------------------------|
| MATERIAL  | HDXPS                       |
| THICKNESS | 5 mm                        |
| FORM      | PLATE / 5,76 m <sup>2</sup> |

|                 |                             |
|-----------------|-----------------------------|
| PC              | CLASS PC3                   |
| CS              | CLASS CS3 (500 kPa)         |
| CC              | CLASS CC2 (25 kPa)          |
| DL              | CLASS DL3 (>500 000 CYCLES) |
| RLB             | -                           |
| IS              | <18 dB                      |
| RWS             | 62 sones                    |
| FLOOR HEATING   | YES                         |
| THERMAL COMFORT | <0,17 m <sup>2</sup> K/w    |
| SD              | -                           |
| EAN             | 5905167875216               |

**AQUAPROTEC HEATFILM**



|           |         |
|-----------|---------|
| MATERIAL  | -       |
| THICKNESS | 0,18 mm |
| FORM      | ROLL    |

|      |                   |
|------|-------------------|
| SIZE | 10 m <sup>2</sup> |
| SD   | >75 m             |
| EAN  | 5905167875230     |

# UNDERLAYS



**NEW!**




|           |                             |
|-----------|-----------------------------|
| MATERIAL  | XPS+PET                     |
| THICKNESS | 1,0 mm                      |
| FORM      | SMART / 6,25 m <sup>2</sup> |

|                 |                               |
|-----------------|-------------------------------|
| PC              | CLASS PC1 (<0,8 mm)           |
| CS              | CLASS CS3 (550 kPa)           |
| CC              | CLASS CC2 (<40 kPa)           |
| DL              | CLASS DL3 (>1 000 000 CYCLES) |
| RLB             | CLASS RLB3 (≤1300 mm)         |
| IS              | <18 dB                        |
| RWS             | 63 sones                      |
| FLOOR HEATING   | YES                           |
| THERMAL COMFORT | <0,03 m <sup>2</sup> K/W      |
| SD              | >75 m                         |
| EAN             | 5905167873779                 |

SECURA VINYL CLICK HARDLAY



10 dB ΔLin  
**21 dB**



|           |                             |
|-----------|-----------------------------|
| MATERIAL  | XPS+PET                     |
| THICKNESS | 1,5 mm                      |
| FORM      | SMART / 6,25 m <sup>2</sup> |

|                 |                                      |
|-----------------|--------------------------------------|
| PC              | CLASS PC2 (<1,0 mm)                  |
| CS              | CLASS CS3 (400 kPa)                  |
| CC              | CLASS CC2 (<40 kPa)                  |
| DL              | CLASS DL3 (>1 000 000 CYCLES)        |
| RLB             | CLASS RLB3 (≤1500 mm)                |
| IS              | up to 21 dB / 10 dB Δ <sub>lin</sub> |
| RWS             | 60 sones                             |
| FLOOR HEATING   | YES                                  |
| THERMAL COMFORT | <0,04 m <sup>2</sup> K/W             |
| SD              | >150 m                               |
| EAN             | 5905167816943                        |

SECURA VINYL CLICK




## M-BASE VINYL



|           |                         |
|-----------|-------------------------|
| MATERIAL  | PUM+PET                 |
| THICKNESS | 1,3 mm                  |
| FORM      | ROLL / 9 m <sup>2</sup> |

|                 |                                |
|-----------------|--------------------------------|
| PC              | CLASS PC2 (<1,0 mm)            |
| CS              | CLASS CS3 (550 kPa)            |
| CC              | CLASS CC3 (70 kPa)             |
| DL              | CLASS DL3 (> 3 000 000 CYCLES) |
| RLB             | CLASS RLB2 (≤1100 mm)          |
| IS              | <17 dB                         |
| RWS             | 62 sonos                       |
| FLOOR HEATING   | YES                            |
| THERMAL COMFORT | <0,004 m <sup>2</sup> K/W      |
| SD              | >75 m                          |
| EAN             | 5905167852750                  |


## MULTIPROTEC VINYL CLICK



|           |                           |
|-----------|---------------------------|
| MATERIAL  | PUM+PET                   |
| THICKNESS | 1,4 mm                    |
| FORM      | ROLL / 8,5 m <sup>2</sup> |

|                 |                                |
|-----------------|--------------------------------|
| PC              | CLASS PC2 (<1,2 mm)            |
| CS              | CLASS CS3 (400 kPa)            |
| CC              | CLASS CC3 (<70 kPa)            |
| DL              | CLASS DL3 (> 3 000 000 CYCLES) |
| RLB             | CLASS RLB3 (≤1500 mm)          |
| IS              | <16 dB                         |
| RWS             | 58 sonos                       |
| FLOOR HEATING   | YES                            |
| THERMAL COMFORT | <0,008 m <sup>2</sup> K/W      |
| SD              | >75 m                          |
| EAN             | 5905167776339                  |

## MULTIPROTEC VINYL CLICK SUPER HARDLAY



|           |                         |
|-----------|-------------------------|
| MATERIAL  | PUM+PET                 |
| THICKNESS | 1,1 mm                  |
| FORM      | ROLL / 9 m <sup>2</sup> |

|                 |                                |
|-----------------|--------------------------------|
| PC              | CLASS PC1 (<0,6 mm)            |
| CS              | CLASS CS3 (700 kPa)            |
| CC              | CLASS CC3 (<100 kPa)           |
| DL              | CLASS DL3 (> 3 500 000 CYCLES) |
| RLB             | CLASS RLB2 (≤1100 mm)          |
| IS              | <14 dB                         |
| RWS             | 62 sonos                       |
| FLOOR HEATING   | YES                            |
| THERMAL COMFORT | <0,004 m <sup>2</sup> K/W      |
| SD              | >75 m                          |
| EAN             | 5905167846049                  |

## MULTIPROTEC VINYL CLICK ACOUSTIC

10 dB ΔLin  
**21 dB**



|           |                         |
|-----------|-------------------------|
| MATERIAL  | PUM+PET                 |
| THICKNESS | 2,2 mm                  |
| FORM      | ROLL / 7 m <sup>2</sup> |

|                 |                                |
|-----------------|--------------------------------|
| PC              | CLASS PC2 (<1,7 mm)            |
| CS              | CLASS CS3 (300 kPa)            |
| CC              | CLASS CC3 (<50 kPa)            |
| DL              | CLASS DL3 (> 3 000 000 CYCLES) |
| RLB             | CLASS RLB2 (≤1100 mm)          |
| IS              | < 21 dB                        |
| RWS             | 58 sonos                       |
| FLOOR HEATING   | YES                            |
| THERMAL COMFORT | <0,01 m <sup>2</sup> K/W       |
| SD              | >75 m                          |
| EAN             | 5905167846063                  |

**CLICK****CLICK ACOUSTIC****DRYBACK****AMARON HERRINGBONE**

|                      |                                   |   |                                   |
|----------------------|-----------------------------------|---|-----------------------------------|
| Dimensions           | 592 x 148 mm                      |   | 616 x 154 mm                      |
| Thickness            | 5,0 / 0,55 mm                     |   | 5,0 / 0,55 mm                     |
| Box                  | 16 pcs / 1,402 m <sup>2</sup>     | x | 32 pcs / 3,035 m <sup>2</sup>     |
| Pallet               | 72 boxes / 100,944 m <sup>2</sup> |   | 63 boxes / 191,205 m <sup>2</sup> |
| Residential warranty | 25 years                          |   | 25 years                          |

**AMARON CHEVRON**

|                      |                                |   |   |
|----------------------|--------------------------------|---|---|
| Dimensions           | 600 x 120 mm                   |   |   |
| Thickness            | 5,0 / 0,55 mm                  |   |   |
| Box                  | 18 pcs / 1,296 m <sup>2</sup>  | x | x |
| Pallet               | 48 pcs / 62,208 m <sup>2</sup> |   |   |
| Residential warranty | 25 years                       |   |   |

**AMARON FORMA**

|                      |                                |   |   |
|----------------------|--------------------------------|---|---|
| Dimensions           | 914 x 457 mm                   |   |   |
| Thickness            | 5,0 / 0,55 mm                  |   |   |
| Box                  | 5 pcs / 2,088 m <sup>2</sup>   | x | x |
| Pallet               | 44 pcs / 91,872 m <sup>2</sup> |   |   |
| Residential warranty | 25 years                       |   |   |

**AMARON SUPERIORE**

|                      |                                 |   |   |
|----------------------|---------------------------------|---|---|
| Dimensions           | 2180 x 229 mm                   |   |   |
| Thickness            | 5,0 / 0,55 mm                   |   |   |
| Box                  | 5 pcs / 2,496 m <sup>2</sup>    | x | x |
| Pallet               | 45 pcs / 112,320 m <sup>2</sup> |   |   |
| Residential warranty | 25 years                        |   |   |

**AMARON WOOD**

|                      |                                   |                                   |                                   |
|----------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Dimensions           | 1511 x 229 mm                     | 1511 x 229 mm                     | 1518 x 236 mm                     |
| Thickness            | 5,0 / 0,55 mm                     | 5,0 + 1,0 / 0,55 mm               | 2,5 / 0,55 mm                     |
| Box                  | 6 pcs / 2,076 m <sup>2</sup>      | 6 pcs / 2,076 m <sup>2</sup>      | 12 pcs / 4,298 m <sup>2</sup>     |
| Pallet               | 56 boxes / 116,256 m <sup>2</sup> | 56 boxes / 116,256 m <sup>2</sup> | 56 boxes / 240,688 m <sup>2</sup> |
| Residential warranty | 25 years                          | 25 years                          | 25 years                          |

**WOODRIC / WOODRIC EIR**


|                      |                                   |                                   |                                   |
|----------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Dimensions           | 1220 x 229 mm                     | 1220 x 229 mm                     | 1227 x 236 mm                     |
| Thickness            | 4,0 / 0,55 mm                     | 4,0 + 1,0 / 0,55 mm               | 2,5 / 0,55 mm                     |
| Box                  | 8 pcs / 2,235 m <sup>2</sup>      | 8 pcs / 2,235 m <sup>2</sup>      | 12 pcs / 3,475 m <sup>2</sup>     |
| Pallet               | 48 boxes / 107,280 m <sup>2</sup> | 48 boxes / 107,280 m <sup>2</sup> | 48 boxes / 166,800 m <sup>2</sup> |
| Residential warranty | 20 years                          | 20 years                          | 25 years                          |

PERFORMANCE LEVEL

SOFT STRUCTURE


REAL WOOD STRUCTURE

LOCKING SYSTEM




8  
DESIGNS

8  
DESIGNS





4  
DESIGNS

x




12  
DESIGNS

x




x

8  
DESIGNS



4  
DESIGNS

10  
DESIGNS



12  
DESIGNS

12  
DESIGNS









# RESPONSIBLE MANUFACTURING

Our floors are produced in the heart of Europe, where ecological awareness meets cutting-edge technology. By manufacturing locally, we significantly reduce our carbon footprint, and our advanced production process achieves zero waste status - we generate no waste. Moreover, all our floors are 100% recyclable, ensuring their sustainable use from production through to recycling.



[www.arbiton.com](http://www.arbiton.com)

The catalogue is a free of charge presentation of products of Decora S.A. and acc. to valid law it is not a commercial offer. Colors and textures of the products in pictures may differ from real ones because of limited printing technologies. Decora S.A. reserves its right to alter availability of the products on some markets and at some distributors. The products included in the catalogues do not pose a complete offer of Decora S.A.

#### DECORA GROUP

Decora S.A., ul. Prądzyńskiego 24a  
63-000 Środa Wlkp., Polska  
tel.: +48 61 28 64 200  
fax: +48 61 28 54 975  
e-mail: [sales@decora.pl](mailto:sales@decora.pl)  
[www.arbiton.com](http://www.arbiton.com)

#### GERMANY

ewifoam E. Wicklein GmbH  
Stockumer Str. 28  
58453 Witten  
Tel.: +49 (0) 9261 50 490-0  
Fax.: +49 (0) 9261 50 490-50  
[info@ewifoam.de](mailto:info@ewifoam.de)  
[www.ewifoam.de](http://www.ewifoam.de)