


LUXURY
VINYL
TILES

iD INSPIRATION 55-70 iD INSPIRATION CLICK

FLOOR
IS THE NEW
PLAYGROUND



THE ULTIMATE
FLOORING EXPERIENCE



iD INSPIRATION 55-70

In retail, hospitality and work environments, design makes a first impression of how people experience the space. With iD Inspiration, explore all new colours and formats to create spaces that build brand image and positively shape the customer experience.

Express yourself with iD Inspiration, because Floor is the new playground.

Scandinavian Oak / Medium Grey
Tisse / Black - Green - Red - Blue

iD INSPIRATION 55-70

ALL NEW VIVID COLOURS



Metal Frame / Rose - Platinum - Aluminium



iD INSPIRATION 55-70

4 NEW FORMATS

- 12.5 x 122 cm
- 25 x 50 cm
- 50 x 100 cm
- 100 x 100 cm

FULLY CUSTOMIZABLE COLLECTION

- iD Inspiration offers endless combinations through your choice of format, design, surface structure and beveling. Every aspect of the product is customizable with all decors.

LIFE-LONG PERFORMANCE

- Highly resistant to the daily wear and tear of even the most demanding commercial areas.
- 10 years limited guarantee for commercial use and 15 years limited guarantee for residential use.

IMPROVED BEVELS

- A new cutting process makes for a cleaner, more realistic bevel.


ACCESSORY PACKAGES

- Comes with a complete range of accessories for user safety, efficient installation and project completion.
- Quick and easy installation for a long-lasting solution.


SUSTAINABLE DESIGN

- Contributes to people's well-being and can be reused at end-of-life in other products.
- REACH compliant, made from 36% recycled material and is 100% recyclable.

PRODUCT CONSTRUCTION



- 1 TopClean XP™ PUR reinforcement**
for excellent resistance to abrasion, scuffs and scratches plus easy, low-cost maintenance
- 2 0.55mm or 0.70mm pure PVC transparent wear layer**
for an exceptionally hard-wearing and indentation-resistant surface
- 3 More than 100 designs in high-definition print**
for a higher-quality, more natural look
- 4 Unique structure strengthened with non-woven glass fibre**
for class-leading dimensional stability with superior performance against indentation and tearing








CONTEMPORARY OAK / Grey - Grege - Brown

iD INSPIRATION 55-70

Woods

<p>ANTIK OAK</p>  <p>Grey</p> <p>iD 70: 24201 004 iD 55: 24231 004 20 x 122 cm LRV: 33.95% Skirting: 26640 264</p>	<p>ANTIK OAK</p>  <p>Beige</p> <p>iD 70: 24201 001 iD 55: 24231 001 20 x 122 cm LRV: 30.05% Skirting: 26640 001</p>	<p>ANTIK OAK</p>  <p>Light Grey</p> <p>iD 70: 24201 006 iD 55: 24231 006 20 x 122 cm LRV: 26.02% Skirting: 26640 261</p>	<p>ANTIK OAK</p>  <p>Middle Grey</p> <p>iD 70: 24201 008 iD 55: 24231 008 20 x 122 cm LRV: 25.50% Skirting: 26640 263</p>
---	--	---	--



<p>ANTIK OAK</p>  <p>Dark Grey</p> <p>iD 70: 24201 003 iD 55: 24231 003 20 x 122 cm LRV: 23.89% Skirting: 26640 003</p>	<p>ANTIK OAK</p>  <p>Natural</p> <p>iD 70: 24201 005 iD 55: 24231 005 20 x 122 cm LRV: 22.72% Skirting: 26640 005</p>	<p>ANTIK OAK</p>  <p>Brown</p> <p>iD 70: 24201 002 iD 55: 24231 002 20 x 122 cm LRV: 17.42% Skirting: 26640 002</p>	<p>ANTIK OAK</p>  <p>Anthracite</p> <p>iD 70: 24201 007 iD 55: 24231 007 20 x 122 cm LRV: 15.04% Skirting: 26640 262</p>
---	---	---	--

<p>BRUSHED PINE</p>  <p>White</p> <p>iD 70: 24201 016 iD 55: 24231 016 20 x 122 cm LRV: 42.66% Skirting: 26640 266</p>	<p>BRUSHED PINE</p>  <p>Grey</p> <p>iD 70: 24201 014 iD 55: 24231 014 20 x 122 cm LRV: 27.95% Skirting: 26640 014</p>	<p>BRUSHED PINE</p>  <p>Natural</p> <p>iD 70: 24201 015 iD 55: 24231 015 20 x 122 cm LRV: 24.60% Skirting: 26640 265</p>	<p>BRUSHED PINE</p>  <p>Brown</p> <p>iD 70: 24201 013 iD 55: 24231 013 20 x 122 cm LRV: 19.90% Skirting: 26640 013</p>
---	--	---	---

Woods

<p>CONTEMPORARY OAK</p>  <p>Grege</p> <p>iD 70: 24201 110 iD 55: 24231 110 20 x 122 cm LRV: 30.32% Skirting: 26640 347</p>	<p>CONTEMPORARY OAK</p>  <p>Grey</p> <p>iD 70: 24201 109 iD 55: 24231 109 20 x 122 cm LRV: 28.20% Skirting: 26640 346</p>	<p>CONTEMPORARY OAK</p>  <p>Natural</p> <p>iD 70: 24201 111 iD 55: 24231 111 20 x 122 cm LRV: 26.42% Skirting: 26640 348</p>	<p>CONTEMPORARY OAK</p>  <p>Brown</p> <p>iD 70: 24201 112 iD 55: 24231 112 20 x 122 cm LRV: 16.06% Skirting: 26640 349</p>
---	--	---	---

<p>ELM</p>  <p>Light Grey</p> <p>iD 70: 24201 113 iD 55: 24231 113 20 x 122 cm LRV: 45.88% Skirting: 26640 350</p>	<p>ELM</p>  <p>Beige</p> <p>iD 70: 24201 114 iD 55: 24231 114 20 x 122 cm LRV: 45.40% Skirting: 26640 351</p>	<p>ELM</p>  <p>Natural</p> <p>iD 70: 24201 115 iD 55: 24231 115 20 x 122 cm LRV: 38.47% Skirting: 26640 352</p>	<p>ELM</p>  <p>Grege</p> <p>iD 70: 24201 116 iD 55: 24231 116 20 x 122 cm LRV: 37.52% Skirting: 26640 353</p>
--	---	---	---

<p>ELM</p>  <p>Brown</p> <p>iD 70: 24201 117 iD 55: 24231 117 20 x 122 cm LRV: 21.92% Skirting: 26640 354</p>	<p>ENGLISH OAK</p>  <p>Light Beige</p> <p>iD 70: 24201 028 iD 55: 24231 028 20 x 122 cm LRV: 45.42% Skirting: 26640 267</p>	<p>ENGLISH OAK</p>  <p>Grey Beige</p> <p>iD 70: 24201 029 iD 55: 24231 029 20 x 122 cm LRV: 33.74% Skirting: 26640 268</p>	<p>ENGLISH OAK</p>  <p>Beige</p> <p>iD 70: 24201 024 iD 55: 24231 024 20 x 122 cm LRV: 23.69% Skirting: 26640 024</p>
--	--	---	--

iD INSPIRATION 55-70

Woods



ENGLISH OAK
Light
iD 70: 24201 026
iD 55: 24231 026 20 x 122 cm
LRV: 25.10%
Skirting: 26640 026



ENGLISH OAK
Natural
iD 70: 24201 027
iD 55: 24231 027 20 x 122 cm
LRV: 24.52%
Skirting: 26640 027



ENGLISH OAK
Brown
iD 70: 24201 025
iD 55: 24231 025 20 x 122 cm
LRV: 17.58%
Skirting: 26640 025



PALLET PINE
White
iD 70: 24201 030
iD 55: 24231 030 20 x 122 cm
LRV: 49.16%
Skirting: 26640 339



PALLET PINE
Beige
iD 70: 24201 031
iD 55: 24231 031 20 x 122 cm
LRV: 38.20%
Skirting: 26640 340



PALLET PINE
Natural
iD 70: 24201 032
iD 55: 24231 032 20 x 122 cm
LRV: 40.21%
Skirting: 26640 341



PALLET PINE
Brown
iD 70: 24201 033
iD 55: 24231 033 20 x 122 cm
LRV: 30.11%
Skirting: 26640 342



PATINA ASH
Beige
iD 70: 24201 106
iD 55: 24231 106 20 x 122 cm
LRV: 43.21%
Skirting: 26640 343



PATINA ASH
Grey
iD 70: 24201 108
iD 55: 24231 108 20 x 122 cm
LRV: 31.03%
Skirting: 26640 345



PATINA ASH
Brown
iD 70: 24201 107
iD 55: 24231 107 20 x 122 cm
LRV: 29.79%
Skirting: 26640 344



RUSTIC OAK
Light Grey
iD 70: 24201 124
iD 55: 24231 124 20 x 122 cm
LRV: 45.58%
Skirting: 26640 373



RUSTIC OAK
Beige
iD 70: 24201 126
iD 55: 24231 126 20 x 122 cm
LRV: 34.56%
Skirting: 26640 375

Woods



RUSTIC OAK
Natural
iD 70: 24201 125
iD 55: 24231 125 20 x 122 cm
LRV: 35.52%
Skirting: 26640 374



RUSTIC OAK
Brown
iD 70: 24201 127
iD 55: 24231 127 20 x 122 cm
LRV: 20.49%
Skirting: 26640 376



RUSTIC OAK
Medium Brown
iD 70: 24201 128
iD 55: 24231 128 20 x 122 cm
LRV: 19.91%
Skirting: 26640 377



RUSTIC OAK
Medium Grey
iD 70: 24201 123
iD 55: 24231 123 20 x 122 cm
LRV: 21.68%
Skirting: 26640 372



RUSTIC OAK
Dark Grey
iD 70: 24201 122
iD 55: 24231 122 20 x 122 cm
LRV: 14.18%
Skirting: 26640 371



RUSTIC OAK
Stone Brown
iD 70: 24201 121
iD 55: 24231 121 20 x 122 cm
LRV: 7.25%
Skirting: 26640 370



SCANDINAVIAN OAK
Light Beige
iD 70: 24201 100
iD 55: 24231 100 20 x 122 cm
LRV: 46.86%
Skirting: 26640 333



SCANDINAVIAN OAK
Medium Beige
iD 70: 24201 101
iD 55: 24231 101 20 x 122 cm
LRV: 38.13%
Skirting: 26640 334



SCANDINAVIAN OAK
Dark Beige
iD 70: 24201 102
iD 55: 24231 102 20 x 122 cm
LRV: 38.75%
Skirting: 26640 335



SCANDINAVIAN OAK
Light Grey
iD 70: 24201 103
iD 55: 24231 103 20 x 122 cm
LRV: 45.99%
Skirting: 26640 336



SCANDINAVIAN OAK
Medium Grey
iD 70: 24201 104
iD 55: 24231 104 20 x 122 cm
LRV: 39.50%
Skirting: 26640 337



SCANDINAVIAN OAK
Dark Grey
iD 70: 24201 105
iD 55: 24231 105 20 x 122 cm
LRV: 21.63%
Skirting: 26640 338

iD INSPIRATION 55-70

Woods

TREND LINE

Silver



iD 70: 24205 090
iD 55: 24235 090 16.66 x 100 cm
LRV: 24.61%
Skirting: 26640 286

TREND LINE


Interferential



iD 70: 24205 089
iD 55: 24235 089 16.66 x 100 cm
LRV: 10.60%
Skirting: 26640 285

TREND LINE

Black



iD 70: 24205 088
iD 55: 24235 088 16.66 x 100 cm
LRV: 11.10%
Skirting: 26640 284

VINTAGE TEAK

Grey



iD 70: 24201 092
iD 55: 24231 092 20 x 122 cm
LRV: 17.72%
Skirting: 26640 092

VINTAGE TEAK

Natural



iD 70: 24201 093
iD 55: 24231 093 20 x 122 cm
LRV: 6.61%
Skirting: 26640 093

WENGE

Grege



iD 70: 24205 012
iD 55: 24235 012 16.66 x 100 cm
LRV: 23.89%
Skirting: 26640 315

WENGE

Grey



iD 70: 24205 011
iD 55: 24235 011 16.66 x 100 cm
LRV: 17.66%
Skirting: 26640 292

WENGE

Natural



iD 70: 24205 010
iD 55: 24235 010 16.66 x 100 cm
LRV: 6.01%
Skirting: 26640 291

WENGE

Black



iD 70: 24205 009
iD 55: 24235 009 16.66 x 100 cm
LRV: 6.15%
Skirting: 26640 290

Authentic Stones

BARDIGLIO

Lime Stone



iD 70: 24207 034
iD 55: 24237 034 50 x 50 cm
LRV: 33.13%
Skirting: 26640 355

BARDIGLIO

Grey



iD 70: 24207 035
iD 55: 24237 035 50 x 50 cm
LRV: 38.86%
Skirting: 26640 356

BARDIGLIO

Dark Grey



iD 70: 24207 036
iD 55: 24237 036 50 x 50 cm
LRV: 29.76%
Skirting: 26640 357

BARDIGLIO

Anthracite



iD 70: 24207 037
iD 55: 24237 037 50 x 50 cm
LRV: 16.04%
Skirting: 26640 358

COMPOSITE

Cool Grey



iD 70: 24207 073
iD 55: 24237 073 50 x 50 cm
LRV: 30.45%
Skirting: 26640 317

COMPOSITE


Warm Grey



iD 70: 24207 072
iD 55: 24237 072 50 x 50 cm
LRV: 37.82%
Skirting: 26640 316

COMPOSITE


Black



iD 70: 24207 074
iD 55: 24237 074 50 x 50 cm
LRV: 8.87%
Skirting: 26640 318

POLISHED CONCRETE

Light Grey



iD 70: 24207 075
iD 55: 24237 075 50 x 50 cm
LRV: 41.57%
Skirting: 26640 319

POLISHED CONCRETE

Medium Grey



iD 70: 24207 076
iD 55: 24237 076 50 x 50 cm
LRV: 31%
Skirting: 26640 320

iD INSPIRATION 55-70

Authentic Stones



POLISHED CONCRETE
Dark Grey
iD 70: 24207 077
iD 55: 24237 077
LRV: 17.32%
50 x 50 cm
Skirting: 26640 321



ROCK
Greige
iD 70: 24207 065
iD 55: 24237 065
LRV: 48.04%
50 x 50 cm
Skirting: 26640 272



ROCK
Beige
iD 70: 24207 062
iD 55: 24237 062
LRV: 43.87%
50 x 50 cm
Skirting: 26640 269



TERRAZZO
Green
iD 70: 24207 130
iD 55: 24237 130
LRV: 24.02%
50 x 50 cm
Skirting: 26640 379



TERRAZZO
Grey
iD 70: 24207 129
iD 55: 24237 129
LRV: 23.18%
50 x 50 cm
Skirting: 26640 378



TERRAZZO
Anthracite
iD 70: 24207 131
iD 55: 24237 131
LRV: 9.42%
50 x 50 cm
Skirting: 26640 380

Authentic Stones



ROCK
Grey
iD 70: 24207 066
iD 55: 24237 066
LRV: 34.79%
50 x 50 cm
Skirting: 26640 273



ROCK
Brown
iD 70: 24207 064
iD 55: 24237 064
LRV: 11.27%
50 x 50 cm
Skirting: 26640 271



ROCK
Black
iD 70: 24207 063
iD 55: 24237 063
LRV: 9.74%
50 x 50 cm
Skirting: 26640 270



CAVIAR
Grey
iD 70: 24207 019
iD 55: 24237 019
LRV: 49.89%
50 x 50 cm
Skirting: 26640 328



CAVIAR
Beige
iD 70: 24207 022
iD 55: 24237 022
LRV: 37.77%
50 x 50 cm
Skirting: 26640 331



CAVIAR
Foggy Blue
iD 70: 24207 023
iD 55: 24237 023
LRV: 35.24%
50 x 50 cm
Skirting: 26640 332

Material Effects




RUSTIC SLATE
Beige
iD 70: 24207 070
iD 55: 24237 070
LRV: 29%
50 x 50 cm
Skirting: 26640 275



RUSTIC SLATE
Grey
iD 70: 24207 071
iD 55: 24237 071
LRV: 31.83%
50 x 50 cm
Skirting: 26640 276



RUSTIC SLATE
Black
iD 70: 24207 069
iD 55: 24237 069
LRV: 5.59%
50 x 50 cm
Skirting: 26640 274



CAVIAR
Mauve
iD 70: 24207 021
iD 55: 24237 021
LRV: 30.02%
50 x 50 cm
Skirting: 26640 330



CAVIAR
Misty Grey
iD 70: 24207 017
iD 55: 24237 017
LRV: 25.81%
50 x 50 cm
Skirting: 26640 326



CAVIAR
Tobacco
iD 70: 24207 018
iD 55: 24237 018
LRV: 19.62%
50 x 50 cm
Skirting: 26640 327

iD INSPIRATION 55-70

Material Effects




CAVIAR
Brown
id 70: 24207 020
id 55: 24237 020
LRV: 13.64%
50 x 50 cm
Skirting: 26640 329




OXIDE
Steel
id 70: 24207 119
id 55: 24237 119
LRV: 18.07%
50 x 50 cm
Skirting: 26640 360




OXIDE
Copper
id 70: 24207 118
id 55: 24237 118
LRV: 10.85%
50 x 50 cm
Skirting: 26640 359



TISSE
Brown
id 70: 24207 085
id 55: 24237 085
LRV: 12.11%
50 x 50 cm
Skirting: 26640 280



TISSE
Black
id 70: 24207 083
id 55: 24237 083
LRV: 5.02%
50 x 50 cm
Skirting: 26640 278



TWINE
Light Grey
id 70: 24207 038
id 55: 24237 038
LRV: 32.60%
50 x 50 cm
Skirting: 26640 362


Material Effects




OXIDE
Black Steel
id 70: 24207 120
id 55: 24237 120
LRV: 10.67%
50 x 50 cm
Skirting: 26640 361




TISSE
Light
id 70: 24207 084
id 55: 24237 084
LRV: 30.19%
50 x 50 cm
Skirting: 26640 279




TISSE
Beige
id 70: 24207 082
id 55: 24237 082
LRV: 19.25%
50 x 50 cm
Skirting: 26640 277



TWINE
Medium Grey
id 70: 24207 039
id 55: 24237 039
LRV: 25.16%
50 x 50 cm
Skirting: 26640 363




TWINE
Blue Grey
id 70: 24207 041
id 55: 24237 041
LRV: 24.34%
50 x 50 cm
Skirting: 26640 365




TWINE
Purple
id 70: 24207 045
id 55: 24237 045
LRV: 17.18%
50 x 50 cm
Skirting: 26640 369



TISSE
Green
id 70: 24207 091
id 55: 24237 091
LRV: 20.32%
50 x 50 cm
Skirting: 26640 283



TISSE
Blue
id 70: 24207 087
id 55: 24237 087
LRV: 13.05%
50 x 50 cm
Skirting: 26640 282




TISSE
Red
id 70: 24207 086
id 55: 24237 086
LRV: 12.31%
50 x 50 cm
Skirting: 26640 281



TWINE
Turquoise
id 70: 24207 042
id 55: 24237 042
LRV: 16.08%
50 x 50 cm
Skirting: 26640 366



TWINE
Denim
id 70: 24207 043
id 55: 24237 043
LRV: 13.52%
50 x 50 cm
Skirting: 26640 367




TWINE
Indigo
id 70: 24207 044
id 55: 24237 044
LRV: 11.86%
50 x 50 cm
Skirting: 26640 368

iD INSPIRATION 55-70

Material Effects



id 70: 24207 040
id 55: 24237 040
LRV: 15.91%
50 x 50 cm
Skirting: 26640 364




id 70: 24207 096
id 55: 24237 096
LRV: 19.36%
50 x 50 cm
Skirting: 26640 289




id 70: 24207 095
id 55: 24237 095
LRV: 10.10%
50 x 50 cm
Skirting: 26640 288

Design Effects



id 70: 24207 094
id 55: 24237 094
LRV: 5.24%
50 x 50 cm
Skirting: 26640 287




id 70: 24207 078
id 55: 24237 078
LRV: 42.20%
50 x 50 cm
Skirting: 26640 322



id 70: 24207 079
id 55: 24237 079
LRV: 37.04%
50 x 50 cm
Skirting: 26640 323



id 70: 24207 080
id 55: 24237 080
LRV: 39.91%
50 x 50 cm
Skirting: 26640 324



id 70: 24207 081
id 55: 24237 081
LRV: 28.11%
50 x 50 cm
Skirting: 26640 325

FEATURE STRIP COLOURS

Create visual effects with contrasts of colours to highlight interior features, shape perceptions of a room size or personalise your flooring design.

BLACK	1421 001	ROYAL BLUE	1421 011
SILVER	1421 002	TOBACCO	1421 008
COPPER	1421 012	DARK GREY	1421 009
GOLD	1421 003	RED	1421 010
EGGSHELL	1421 013		



Feature strips /Dark Grey - Red

iD INSPIRATION 55-70

STANDARD PRODUCT OPTIONS

NEW iD INSPIRATION 55/70 - WOOD DESIGNS			Formats - standard 4 bevels									
Design	Color	Embossing	12,5 x 122		20 x 122		25 x 122		25 x 150		16,66 x 100	
			iD 55	iD 70	iD 55	iD 70	iD 55	iD 70	iD 55	iD 70	iD 55	iD 70
ANTIK OAK	BEIGE	Rustic	24230001	24200001	24231001	24201001	24232001	24202001	24233001	24203001		
ANTIK OAK	BROWN	Rustic	24230002	24200002	24231002	24201002	24232002	24202002	24233002	24203002		
ANTIK OAK	DARK GREY	Rustic	24230003	24200003	24231003	24201003	24232003	24202003	24233003	24203003		
ANTIK OAK	GREY	Rustic	24230004	24200004	24231004	24201004	24232004	24202004	24233004	24203004		
ANTIK OAK	NATURAL	Rustic	24230005	24200005	24231005	24201005	24232005	24202005	24233005	24203005		
ANTIK OAK	LIGHT GREY	Rustic	24230006	24200006	24231006	24201006	24232006	24202006	24233006	24203006		
ANTIK OAK	ANTHRACITE	Rustic	24230007	24200007	24231007	24201007	24232007	24202007	24233007	24203007		
ANTIK OAK	MIDDLE GREY	Rustic	24230008	24200008	24231008	24201008	24232008	24202008	24233008	24203008		
BRUSHED PINE	BROWN	Rustic	24230013	24200013	24231013	24201013	24232013	24202013				
BRUSHED PINE	GREY	Rustic	24230014	24200014	24231014	24201014	24232014	24202014				
BRUSHED PINE	NATURAL	Rustic	24230015	24200015	24231015	24201015	24232015	24202015				
BRUSHED PINE	WHITE	Rustic	24230016	24200016	24231016	24201016	24232016	24202016				
CONTEMPORARY OAK	GREY	Natural	24230109	24200109	24231109	24201109	24232109	24202109				
CONTEMPORARY OAK	GREGE	Natural	24230110	24200110	24231110	24201110	24232110	24202110				
CONTEMPORARY OAK	NATURAL	Natural	24230111	24200111	24231111	24201111	24232111	24202111				
CONTEMPORARY OAK	BROWN	Natural	24230112	24200112	24231112	24201112	24232112	24202112				
ELM	LIGHT GREY	Natural			24231113	24201113	24232113	24202113	24233113	24203113		
ELM	BEIGE	Natural			24231114	24201114	24232114	24202114	24233114	24203114		
ELM	NATURAL	Natural			24231115	24201115	24232115	24202115	24233115	24203115		
ELM	GREGE	Natural			24231116	24201116	24232116	24202116	24233116	24203116		
ELM	BROWN	Natural			24231117	24201117	24232117	24202117	24233117	24203117		
ENGLISH OAK	BEIGE	Natural	24230024	24200024	24231024	24201024	24232024	24202024				
ENGLISH OAK	BROWN	Natural	24230025	24200025	24231025	24201025	24232025	24202025				
ENGLISH OAK	LIGHT	Natural	24230026	24200026	24231026	24201026	24232026	24202026				
ENGLISH OAK	NATURAL	Natural	24230027	24200027	24231027	24201027	24232027	24202027				
ENGLISH OAK	LIGHT BEIGE	Natural	24230028	24200028	24231028	24201028	24232028	24202028				
ENGLISH OAK	GREY BEIGE	Natural	24230029	24200029	24231029	24201029	24232029	24202029				
PALLET PINE	WHITE	Weathered			24231030	24201030	24232030	24202030				
PALLET PINE	BEIGE	Weathered			24231031	24201031	24232031	24202031				
PALLET PINE	NATURAL	Weathered			24231032	24201032	24232032	24202032				
PALLET PINE	BROWN	Weathered			24231033	24201033	24232033	24202033				
PATINA ASH	BEIGE	Weathered	24230106	24200106	24231106	24201106	24232106	24202106				
PATINA ASH	BROWN	Weathered	24230107	24200107	24231107	24201107	24232107	24202107				
PATINA ASH	GREY	Weathered	24230108	24200108	24231108	24201108	24232108	24202108				
RUSTIC OAK	STONE BROWN	Natural	24230121	24200121	24231121	24201121	24232121	24202121	24233121	24203121		
RUSTIC OAK	DARK GREY	Natural	24230122	24200122	24231122	24201122	24232122	24202122	24233122	24203122		
RUSTIC OAK	MEDIUM GREY	Natural	24230123	24200123	24231123	24201123	24232123	24202123	24233123	24203123		
RUSTIC OAK	LIGHT GREY	Natural	24230124	24200124	24231124	24201124	24232124	24202124	24233124	24203124		
RUSTIC OAK	NATURAL	Natural	24230125	24200125	24231125	24201125	24232125	24202125	24233125	24203125		
RUSTIC OAK	BEIGE	Natural	24230126	24200126	24231126	24201126	24232126	24202126	24233126	24203126		
RUSTIC OAK	BROWN	Natural	24230127	24200127	24231127	24201127	24232127	24202127	24233127	24203127		
RUSTIC OAK	MEDIUM BROWN	Natural	24230128	24200128	24231128	24201128	24232128	24202128	24233128	24203128		
SCANDINAVIAN OAK	LIGHT BEIGE	Weathered	24230100	24200100	24231100	24201100	24232100	24202100				
SCANDINAVIAN OAK	MEDIUM BEIGE	Weathered	24230101	24200101	24231101	24201101	24232101	24202101				
SCANDINAVIAN OAK	DARK BEIGE	Weathered	24230102	24200102	24231102	24201102	24232102	24202102				
SCANDINAVIAN OAK	LIGHT GREY	Weathered	24230103	24200103	24231103	24201103	24232103	24202103				
SCANDINAVIAN OAK	MEDIUM GREY	Weathered	24230104	24200104	24231104	24201104	24232104	24202104				
SCANDINAVIAN OAK	DARK GREY	Weathered	24230105	24200105	24231105	24201105	24232105	24202105				
TREND LINE	BLACK	Brushed Alu									24235088	24205088
TREND LINE	INTERFERENTIAL	Brushed Alu									24235089	24205089
TREND LINE	SILVER	Brushed Alu									24235090	24205090
VINTAGE TEAK	GREY	Weathered	24230092	24200092	24231092	24201092	24232092	24202092				
VINTAGE TEAK	NATURAL	Weathered	24230093	24200093	24231093	24201093	24232093	24202093				
WENGE	BLACK	Soft wood									24235009	24205009
WENGE	NATURAL	Soft wood									24235010	24205010
WENGE	GREY	Soft wood									24235011	24205011
WENGE	GREGE	Soft wood									24235012	24205012

With iD Inspiration, you decide on the level of design flexibility and customisation for the specific need of your commercial project.

NEW iD INSPIRATION 55/70 - TILE DESIGNS			Formats - standard 4 bevels									
Design	Color	Embossing	25 x 50		50 x 50		50 x 100		100 x 100			
			iD 55	iD 70	iD 55	iD 70	iD 55	iD 70	iD 55	iD 70		
BARDIGLIO	LIME STONE	Flat			24237034	24207034	24238034	24208034	24239034	24209034		
BARDIGLIO	GREY	Flat			24237035	24207035	24238035	24208035	24239035	24209035		
BARDIGLIO	DARK GREY	Flat			24237036	24207036	24238036	24208036	24239036	24209036		
BARDIGLIO	ANTHRACITE	Flat			24237037	24207037	24238037	24208037	24239037	24209037		
CAVIAR	MISTY GREY	Flat			24237017	24207017			24239017	24209017		
CAVIAR	TOBACCO	Flat			24237018	24207018			24239018	24209018		
CAVIAR	GREY	Flat			24237019	24207019			24239019	24209019		
CAVIAR	BROWN	Flat			24237020	24207020			24239020	24209020		
CAVIAR	MAUVE	Flat			24237021	24207021			24239021	24209021		
CAVIAR	BEIGE	Flat			24237022	24207022			24239022	24209022		
CAVIAR	FOGGY BLUE	Flat			24237023	24207023			24239023	24209023		
COMPOSITE	WARM GREY	Beton	24236072	24206072	24237072	24207072	24238072	24208072				
COMPOSITE	COOL GREY	Beton	24236073	24206073	24237073	24207073	24238073	24208073				
COMPOSITE	BLACK	Beton	24236074	24206074	24237074	24207074	24238074	24208074				
METAL FRAME	ROSE	Flat			24237078	24207078			24239078	24209078		
METAL FRAME	PLATINUM	Flat			24237079	24207079			24239079	24209079		
METAL FRAME	ALUMINIUM	Flat			24237080	24207080			24239080	24209080		
METAL FRAME	STAINLESS	Flat			24237081	24207081			24239081	24209081		
OXIDE	COPPER	Flat			24237118	24207118	24238118	24208118	24239118	24209118		
OXIDE	STEEL	Flat			24237119	24207119	24238119	24208119	24239119	24209119		
OXIDE	BLACK STEEL	Flat			24237120	24207120	24238120	24208120	24239120	24209120		
POLISHED CONCRETE	LIGHT GREY	Beton	24236075	24206075	24237075	24207075	24238075	24208075				
POLISHED CONCRETE	MEDIUM GREY	Beton	24236076	24206076	24237076	24207076	24238076	24208076				
POLISHED CONCRETE	DARK GREY	Beton	24236077	24206077	24237077	24207077	24238077	24208077				
ROCK	BEIGE	Stone	24236062	24206062	24237062	24207062			24239062	24209062		
ROCK	BLACK	Stone	24236063	24206063	24237063	24207063			24239063	24209063		
ROCK	BROWN	Stone	24236064	24206064	24237064	24207064			24239064	24209064		
ROCK	GREGE	Stone	24236065	24206065	24237065	24207065			24239065	24209065		
ROCK	GREY	Stone	24236066	24206066	24237066	24207066			24239066	24209066		
RUSTIC SLATE	BLACK	Slate			24237069	24207069	24238069	24208069	24239069	24209069		
RUSTIC SLATE	BEIGE	Slate			24237070	24207070	24238070	24208070	24239070	24209070		
RUSTIC SLATE	GREY	Slate			24237071	24207071	24238071	24208071	24239071	24209071		
TERRAZZO	GREY	Beton	24237129	24207129	24238129	24208129	24239129	24209129				
TERRAZZO	GREEN	Beton	24237130	24207130	24238130	24208130	24239130	24209130				
TERRAZZO	ANTHRACITE	Beton	24237131	24207131	24238131	24208131	24239131	24209131				
TISSE	BEIGE	Textstyle			24237082	24207082	24238082	24208082				
TISSE	BLACK	Textstyle			24237083	24207083	24238083	24208083				
TISSE	LIGHT	Textstyle			24237084	24207084	24238084	24208084				
TISSE	BROWN	Textstyle			24237085	24207085	24238085	24208085				
TISSE	RED	Textstyle			24237086	24207086	24238086	24208086				
TISSE	BLUE	Textstyle			24237087	24207087	24238087	24208087				
TISSE	GREEN	Textstyle			24237091	24207091						

iD INSPIRATION 55-70

ACCESSORIES

PVC DECORATIVE SKIRTING

Compact skirting with decorative film and PUR surface treatment to perfectly match all designs.

Packaging: 2.02lm skirting in packs of 16




ALUMINIUM TRANSITION PROFILE

Transition profile. To be screwed.

2 colours: Silver 1451 000
Bronze 1451 001

Packaging: 2.7lm profiles in packs of 10




ALUMINIUM STAIRNOSE

Stairnose. To be screwed over the floorcovering.

1 colour: Silver 1434 001

Packaging: 2.6lm profiles in packs of 10









3D STUD

Accessibility accessory. Ready-to-use podotactile studs to be simply fitted on top of the existing floorcovering.

Packaging: 5mm x 25mm stud in packs of 200



Self-adhesive	
	White 1440 050
	Grey 1440 051
	Black 1440 052
	Ivory 1440 053
	Red 1440 054
	Yellow 1440 055




Pallet Pine / White - Natural - Brown

iD INSPIRATION 55-70

CUSTOMIZATION SERVICE

With FLOORCRAFT, you can choose to provide us with your own design or to create one together with our designers.

FLOORCRAFT can incorporate logo and image to any overall floor concept. The FLOORCRAFT Design Library has a range of standard designs that can be implemented in any colour, and Tarkett's flooring.




This bespoke design was created by FLOORCRAFT using sonic cut. Each cut was then individually assembled into panels.




3 POSSIBILITIES OF FLOORCRAFT STANDARD DESIGNS


Houndstooth




Stripes




Vintage




COME IN THE 3 FOLLOWING COLOUR COMBINATIONS



Polished Concrete
Dark Grey / Light Grey
24970




Oxide
Black Steel / Steel
24971



Twine
Medium Grey / Light Grey
24972




Polished Concrete
Dark Grey / Light Grey
24973




Oxide
Black Steel / Steel
24974




Twine
Medium Grey / Light Grey
24975



Polished Concrete
Dark Grey / Light Grey
24976



Oxide
Black Steel / Steel
24977



Twine
Medium Grey / Light Grey
24978

Packaging: 25cm x 25cm tiles of your requested order
No minimum order quantity

iD INSPIRATION CLICK

iD Inspiration Click is an ideal solution for semi-commercial areas. It requires little to no subfloor preparation and can be installed over existing flooring. Its unique click system makes for a floating installation, without the need of glue, making installation 35% quicker than with glue-down products and 15% quicker than with other click systems*.

The new iD Inspiration Click collection features 20 elegant colours that best express the latest trends.



THE IDEAL BLEND OF DURABILITY AND SUSTAINABILITY

Better Indoor Air Quality

- Designed to improve indoor air quality with VOC emissions below quantifiable levels, under 10µg/m³ after 28 days.

Hard Wearing and Easy Cleaning

- Treated with TopClean XP™ for a tougher surface and simpler care.

PRODUCT CONSTRUCTION




- 1 TopClean XP™ PUR reinforcement** for extreme resistance and easy, low-cost maintenance
- 2 Surface embossing** for a more natural look
- 3 0.55mm pure PVC transparent wear layer** for a hard-wearing, indentation-resistant surface compatible with class 33 (heavy commercial) and 42 (general industrial) use
- 4 Design pattern** for 20 different options in high-definition printing
- 5 Core layer with glass-fibre reinforcement** for exceptional dimensional stability and superior performance against tears and indentations
- 6 Stabilising layer** for a curl-free product
- 7 Fold-down Click System**

*Estimation - not binding



Contemporary Oak / Grey - Grege - Brown

Woods



Authentic Stones



Material Effects



iD INSPIRATION CLICK

ACCESSORIES

TARKOMFORT PREMIUM

- Provides high-impact sound reduction of up to 19dB

Ref.: 24992 030 - Black **Packaging:** 1 roll of 1m x 15m



TARKOMFORT PRO

- Reduces sound up to 13dB
- Removable anti-slip film for easy installation

Ref.: 24992 020 - Grey **Packaging:** 1 roll of 1m x 10m



PVC DECORATIVE SKIRTING

- Compact skirting with decorative film and PUR surface treatment. Perfectly match all 20 iD Inspiration Click designs.

Packaging: 2.02lm skirting in packs of 16

DEDICATED STAIR AND ACCESSIBILITY ACCESSORIES

- Aluminium stairnose:
 Silver (1434 011)
 Stainless Steel (1434 012)
- Podotactile studs:
 Black (1440 052)
 Grey (1440 051)

FLEXIBLE PROFILE

- Aluminium profile, to be screwed.
 Silver (1456 011)
 Stainless Steel (1456 012)


Packaging: 2.5lm profiles in packs of 10



TRANSITION PROFILE

- Aluminum profile, to be screwed.
 Silver (1451 011)
 Stainless Steel (1451 012)


Packaging: 2.7lm profiles in packs of 10




RAMP PROFILE

- Aluminium profile, to be screwed.
 Silver (1454 011)
 Stainless Steel (1454 012)

Packaging: 2.7lm profiles in packs of 10



Patina Ash / Brown - Grey



iD INSPIRATION CLICK

Rustic Oak /Stone Brown- Light Grey - Medium Grey - Dark Grey

ENVIRONMENTAL POLICY

At Tarkett, we are passionately committed to designing, producing and delivering the best products to our customers that also have a positive impact on people, planet and profits. We live according to these goals in everything we do.

We believe in creating a positive future for everyone, based on understanding the big environmental and societal challenges we all face and creating solutions and innovations that meet these needs.

iD INSPIRATION 55-70 & iD INSPIRATION CLICK

The iD Inspiration 55-70 and iD Inspiration Click collections are designed for all medium to high traffic areas in retail, hospitality and work environment. It contributes to improved indoor air quality with VOC emissions below quantifiable level, less than $10\mu\text{g}/\text{m}^3$ after 28 days which makes the product Asthma and Allergy friendly. The product contributes to people's well-being as it uses a phthalate-free technology, based on alternative plasticizers that can be used for sensitive applications such as the production of toys, food packaging and medical devices.

With a unique surface treatment, cleaning and maintenance is simplified through reduced use of water, energy and chemical detergents.



iD INSPIRATION CLICK

TECHNICAL DATA

CERTIFICATION & CLASSIFICATION	STANDARDS	iD Inspiration Click
Type of floor covering	EN ISO 10582	Heterogeneous Compact Resilient Floorcovering
Classification	EN ISO 10874	Domestic: 23 Commercial: 33 Industrial: 42
TECHNICAL CHARACTERISTICS	STANDARDS	iD Inspiration Click
Total thickness	EN ISO 24346	4,5 mm
Wear layer thickness	EN ISO 24340	0,55
Total weight	EN ISO 23997	8000 g/m ²
Wear layer binder content	EN ISO 10582	Type I
Dimensions	EN ISO 24342	Planks 19,05 x 121,10 cm, 7 planks/box = 1,61 m ² 24,05 x 149,10 cm, 5 planks/box = 1,79 m ² Tiles 32,38 x 60,10 cm, 9 tiles/box = 1,75 m ² 49,05 x 99,10 cm, 3 tiles/box = 1,46 m ²
Surface treatment (PUR)		Yes - TopCleanXP™
Bevelled edges		Yes
TECHNICAL PERFORMANCES	STANDARDS	iD Inspiration Click
Dimensional stability	EN ISO 23999	≤ 0,10 %
Curl resultant to heat	EN ISO 23999	≤ 2 mm
Reaction to fire	EN 13501-1	B _f -s1 loose laid over concrete substrate
Residual indentation	EN ISO 24343-1	≤ 0,10 mm
Furniture leg	EN 424	No damage
Castor chair	ISO 4918 - EN 425	No damage
Impact sound reduction	EN ISO 717-2	ΔL _w = 3 dB
Reduction of in-room impact noise	EN ISO 31-074	Class C (L _{n,r,w} < 85 dB)
Thermal resistance	EN ISO 10456	0,04 m ² K/W
Light fastness	EN ISO 105-B02 (method 3a)	≥ 6
Chemical resistance	EN ISO 26987	Not affected (0)
Slip resistance	DIN 51130 EN 13893	R9 / R10 depending on embossing μ ≥ 0,30
Electrical properties	EN 1815 EN 1081	< 2 kV on concrete ≥ 10 ⁹ Ohm
Peeling resistance	EN ISO 24345	≥ 50N / 50mm
Underfloor heating		Suitable - max. 27 °C


Technical data in force upon the date of publication (07/16).

Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

CUSTOMS TARIFF : 482050000000F



Logistics Information



Surface treatment



General Information



According to European Classification ISO 10874 - EN 685



iD INSPIRATION 55-70

TECHNICAL DATA

CERTIFICATION & CLASSIFICATION	STANDARDS	iD Inspiration 55	iD Inspiration 70
Type of floor covering	EN ISO 10582	Heterogeneous Compact Resilient Floorcovering	Heterogeneous Compact Resilient Floorcovering
Classification	EN ISO 10874	Domestic: 23 Commercial: 33 Industrial: 42	Domestic: 23 Commercial: 34 Industrial: 43
TECHNICAL CHARACTERISTICS	STANDARDS	iD Inspiration 55	iD Inspiration 70
Total thickness	EN ISO 24346	2,5 mm	2,5 mm
Wear layer thickness	EN ISO 24340	0,55	0,7
Total weight	EN ISO 23997	4000 g/m ²	4000 g/m ²
Wear layer binder content	EN ISO 10582	Type I	Type I
Dimensions	EN ISO 24342	Planks 16,66 x 100 cm, 22 planks/box = 3,67 m ² 12,5 x 122 cm, 24 planks/box = 3,66 m ² 20 x 122 cm, 15 planks/box = 3,66 m ² 25 x 122 cm, 12 planks/box = 3,66 m ² 25 x 150 cm, 10 planks/box = 3,75 m ² Tiles 25 x 50 cm, 30 tiles/box = 3,75 m ² 50 x 50 cm, 15 tiles/box = 3,75 m ² 50 x 100 cm, 7 tiles/box = 3,50 m ² 100 x 100 cm, 3 tiles/box = 3 m ²	Planks 16,66 x 100 cm, 22 planks/box = 3,67 m ² 12,5 x 122 cm, 24 planks/box = 3,66 m ² 20 x 122 cm, 15 planks/box = 3,66 m ² 25 x 122 cm, 12 planks/box = 3,66 m ² 25 x 150 cm, 10 planks/box = 3,75 m ² Tiles 25 x 50 cm, 30 tiles/box = 3,75 m ² 50 x 50 cm, 15 tiles/box = 3,75 m ² 50 x 100 cm, 7 tiles/box = 3,50 m ² 100 x 100 cm, 3 tiles/box = 3 m ²
Surface treatment (PUR)		Yes - TopCleanXP™	Yes - TopCleanXP™
Bevelled edges		Yes	Yes
TECHNICAL PERFORMANCES	STANDARDS	iD Inspiration 55	iD Inspiration 70
Dimensional stability	EN ISO 23999	≤ 0,10 %	≤ 0,10 %
Curl resultant to heat	EN ISO 23999	≤ 2 mm	≤ 2 mm
Reaction to fire	EN 13501-1	B _f -s1 glued over concrete substrate C _s -s1 glued over wood substrate	B _f -s1 glued over concrete substrate C _s -s1 glued over wood substrate
Residual indentation	EN ISO 24343-1	≤ 0,05 mm	≤ 0,05 mm
Furniture leg	EN 424	No damage	No damage
Castor chair	ISO 4918 - EN 425	No damage	No damage
Impact sound reduction	EN ISO 717-2	ΔL _w = 2 dB	ΔL _w = 2 dB
Reduction of in-room impact noise	EN ISO 31-074	Class C (L _{n,r,w} < 85 dB)	Class C (L _{n,r,w} < 85 dB)
Thermal resistance	EN ISO 10456	0,02 m ² K/W	0,02 m ² K/W
Light fastness	EN ISO 105-B02 (method 3a)	≥ 6	≥ 6
Chemical resistance	EN ISO 26987	Not affected (0)	Not affected (0)
Slip resistance	DIN 51130 EN 13893	R9 / R10 depending on embossing μ ≥ 0,30	R9 / R10 depending on embossing μ ≥ 0,30
Electrical properties	EN 1815 EN 1081	< 2 kV on concrete > 10 ⁹ Ohm	< 2 kV on concrete > 10 ⁹ Ohm
Peeling resistance	EN ISO 24345	≥ 50N / 50mm	≥ 50N / 50mm
Underfloor heating		Suitable - max. 27 °C	Suitable - max. 27 °C


The above information is subject to modification for the benefit of further improvement. (07/16).

Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for these instructions.

CUSTOMS TARIFF : 482050000000F



Logistics Information




Surface treatment




General Information



According to European Classification ISO 10874 - EN 685



According to European Classification ISO 10874 - EN 685



FLOOR IS THE NEW PLAYGROUND

flooristhewnewplayground.tarkett.com

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 ■ Belgium: Tarkett France Belux – Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S – Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy – Tel. +358 9 4257 9000 ■ France: Tarkett SAS – Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH, Bereich Objekt – Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. – Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 ■ Netherlands: Tarkett Holding GmbH, Vestiging Nederland – Tel. +31 416 685 491 ■ Norway: Tarkett AS – Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA – Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L – Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd – Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett France SAS, org. slozka – Tel. +420-271 001 602 ■ Hungary: Tarkett France SAS – Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o. o. – Tel. +48 22 16 09 231 ■ Russian Federation: ZA0 Tarkett RUS – Tel. +7 495 775 3737 ■ Slovakia: Tarkett France SAS, org. zlozka – Tel. +421 248 291 317 ■ South East Europe: Tarkett Trade d.o.o. – Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA – Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd – Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 38 ext 841 ■ North East Asia: Tarkett Hong Kong Limited – Tel. +852 2511 8716 ■ India: Tarkett France (India Branch) – Tel. +91 11 4352 4073 ■ South East Asia: Tarkett Flooring Singapore Pte. Ltd. – Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. – Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett – Tel. 55 12 3954 7108 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur – Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela: Tarkett – Tel. +55 11 9 8410 9310 / +55 11 95494 0069 ■ Mexico / Central America: Tarkett Latam Mexico – Tel. +55 11 98410 9310

24201 3506 05 – 08/16



www.professionals.tarkett.com