

FLOOR IS THE NEW PLAYGROUND



iD Essential 30

Explore our wide range of colours, surface aspects, formats and accessories to find the style you want. iD Essential 30 also features 12 colours with embossing in register where the surface is carved to match the natural essence of wood designs.





iD Essential 30

Go beyond convention and mix and match various finishes to create your fully personalised decor.



DOUBLE HERRINGBONE

2 colours - Buy 1/2 of each colour*

Uses models:

Washed Pine - Light Brown (24707 006)
Washed Pine - Snow (24707 007)

Plank format (cm): 22.9 x 121.9



WAVE REPEAT

2 colours - Buy 1/2 of each colour*

Uses models:

Washed Pine - Light Brown (24707 006)
Washed Pine - Snow (24707 007)

Plank format (cm): 22.9 x 121.9



MARBLE PATH

2 colours - Buy 1/2 of each colour*

Uses models:

Venezia - Beige (3979 002)
Original Slate - Black (3976 006)

Tile format (cm): 30.5 x 61



MIXED PATH

3 colours - Buy 1/3 of each colour*

Uses models:

Venezia - Beige (3979 002)
Original Slate - Grey (3979 007)
Original Slate - Black (3976 006)

Tile format (cm): 30.5 x 61

* Estimation based on this scaled square pattern



iD Essential 30

Go beyond convention and mix and match various finishes to create your fully personalised decor.



GARDEN ALLEY

2 colours - Buy 1/6 of Beige and 5/6 of Brown*

Uses models:
Country Oak - Beige (24707 001)
Country Oak - Brown (24707 000)

Plank format (cm): 22.9 x 121.9



JAPANESE GARDEN

2 colours - Buy 1/6 of Beige and 5/6 of Brown*

Uses models:
Venezia - Beige (3979 002)
Country Oak - Brown (24707 000)

Plank format (cm): 22.9 x 121.9
Tile format (cm): 30.5 x 61



HOUSE OF CARDS

2 colours - Buy 2/3 of Beige and 1/3 of Brown*

Uses models:
Venezia - Beige (3979 002)
Country Oak - Brown (24707 000)

Plank format (cm): 22.9 x 121.9
Tile format (cm): 30.5 x 61



ALICE IN WONDERLAND

2 colours - Buy 1/2 of each colour*

Uses models:
Venezia - Beige (3979 002)
Country Oak - Brown (24707 000)

Plank format (cm): 22.9 x 121.9
Tile format (cm): 30.5 x 61

* Estimation based on this scaled square pattern

LARGE PLANK WITH EMBOSSING IN REGISTER



CERUSED OAK* - BEIGE

24707 009
22.9 x 121.9 cm
LRV: 44.2%



CERUSED OAK* - LIGHT BROWN

24707 010
22.9 x 121.9 cm
LRV: 29.8%



CERUSED OAK* - BROWN

24707 011
22.9 x 121.9 cm
LRV: 24.4%



COUNTRY OAK - BEIGE

24707 001
22.9 x 121.9 cm
LRV: 23.6%



COUNTRY OAK - GREY

24707 003
22.9 x 121.9 cm
LRV: 22.1%



COUNTRY OAK - NATURAL

24707 002
22.9 x 121.9 cm
LRV: 13.3%



COUNTRY OAK - BROWN

24707 000
22.9 x 121.9 cm
LRV: 11.4%



WASHED PINE - WHITE

24707 004
22.9 x 121.9 cm
LRV: 40.2%



WASHED PINE - BEIGE

24707 005
22.9 x 121.9 cm
LRV: 44.4%



WASHED PINE - LIGHT BROWN

24707 006
22.9 x 121.9 cm
LRV: 32.8%



WASHED PINE - SNOW

24707 007
22.9 x 121.9 cm
LRV: 57.2%



WASHED PINE - BLUE

24707 008
22.9 x 121.9 cm
LRV: 26.7%

LARGE PLANK



SMOKED OAK - WHITE

3977 005
22.9 x 121.9 cm
LRV: 49.9%



SMOKED OAK - LIGHT GREY

3977 004
22.9 x 121.9 cm
LRV: 30.8%



SMOKED OAK - NATURAL

3977 002
22.9 x 121.9 cm
LRV: 18.0%



SMOKED OAK - BROWN

3977 001
22.9 x 121.9 cm
LRV: 10.1%



SMOKED OAK - DARK GREY

3977 003
22.9 x 121.9 cm
LRV: 15.0%



SMOKED OAK - BLACK

3977 000
22.9 x 121.9 cm
LRV: 4.3%



PRIMARY PINE - WHITE

3977 021
22.9 x 121.9 cm
LRV: 57.6%



PRIMARY PINE - NATURAL

3977 020
22.9 x 121.9 cm
LRV: 21.9%



PRIMARY PINE - GREGE

3977 018
22.9 x 121.9 cm
LRV: 30.1%



PRIMARY PINE - DARK GREY

3977 019
22.9 x 121.9 cm
LRV: 20.3%



PRIMARY PINE - DARK BROWN

3977 017
22.9 x 121.9 cm
LRV: 11.9%



SOFT OAK - WHITE

3977 011
22.9 x 121.9 cm
LRV: 53.0%

*Cerused oak decors offer a large variety of patterns so colours may vary from one plank to the other within the same box.

LARGE PLANK



SOFT OAK - LIGHT BEIGE

3977 015
22.9 x 121.9 cm
LRV: 40.6%



SOFT OAK - BEIGE

3977 009 22.9 x 121.9 cm
3976 009 15.2 x 91.4 cm
LRV: 31.4%



SOFT OAK - LIGHT BROWN

3977 012 22.9 x 121.9 cm
3976 012 15.2 x 91.4 cm
LRV: 30.5%



SOFT OAK - LIGHT GREY

3977 010 22.9 x 121.9 cm
3976 010 15.2 x 91.4 cm
LRV: 23.7%



SOFT OAK - NATURAL

3977 008 22.9 x 121.9 cm
3976 008 15.2 x 91.4 cm
LRV: 22.3%



SOFT OAK - BROWN

3977 007
22.9 x 121.9 cm
LRV: 14.6%



ASPEN OAK - GREY

3977 013
22.9 x 121.9 cm
LRV: 22.6%



ASPEN OAK - NATURAL

3977 016
22.9 x 121.9 cm
LRV: 20.8%

STANDARD PLANK



ASPEN OAK - BEIGE

3977 014
22.9 x 121.9 cm
LRV: 43.7%



WALNUT - LIGHT BROWN

3976 034
15.2 x 91.4 cm
LRV: 5.7%



BEECH - NATURAL

3976 020
15.2 x 91.4 cm
LRV: 29.8%



MAPLE - NATURAL

3976 031
15.2 x 91.4 cm
LRV: 43.1%

TILE



VENEZIA - BEIGE

3979 002
61 x 30.5 cm
LRV: 41.9%



VENEZIA - GREY

3979 001
61 x 30.5 cm
LRV: 21.3%



SCRATCHED METAL - GREY

3979 008
61 x 30.5 cm
LRV: 20.6%



ORIGINAL SLATE - GREY

3979 007
61 x 30.5 cm
LRV: 35.0%



ORIGINAL SLATE - BLACK

3979 006
61 x 30.5 cm
LRV: 4.2%



SANDSTONE - BROWN

3979 005
61 x 30.5 cm
LRV: 15.6%




SANDSTONE - BLACK

3979 004
61 x 30.5 cm
LRV: 6.6%



iD Essential 30

There are 3 patterns and 12 different colours available with embossing in register in the iD Essential 30 collection. This technique is used to create a precise texture that enhances a wood design. The surface is carved to match the natural essence of the wood, but unlike real wood, the surface interior does not absorb water and dirt and can be easily cleaned.



Zoom of the plank once engraved

Original pattern printed on the film

GREAT DESIGN OPTIONS

- 50 colour options and 9 different surface aspects
- Plank and tile dimensions that you can combine to compose your own flooring expressions

GREAT RESISTANCE AND EASY CLEANING

- Treated with the Tarkett TopClean™ surface protection that hardens the surface and simplifies cleaning and maintenance through reduced use of water, energy and chemical detergents.

A PEOPLE-FRIENDLY SOLUTION


- Tarkett aims to provide tangible environmental and health benefits to flooring users, for domestic and light commercial use.
- Includes 2 eco-innovations that contribute environmental and indoor air quality benefits.



- Total VOC emissions are at least 10 times lower than Europe's strictest standards.



- Uses a phthalate-free technology, based on alternative plasticizers that can be used for sensitive applications such as the production of toys, food packaging and medical devices.



1. TopClean™ surface treatment
easy maintenance and higher resistance

2. Ultra tough transparent PVC wear layer

3. Design
printed PVC film

4. PVC Compact
backing and middle layers



Skirting



1 PVC DECORATIVE SKIRTING

Compact skirting with decorative film and PUR surface treatment. Perfect matching with 22 iD Essential 30 references, see column 1 in the skirting chart below (10 x 60 x 2020 mm).
Ordering unit: 16 units of 2.02 lm.

2 LARGE DECORATIVE SKIRTING

8025 ---
Large laminate skirting (17 x 60 x 2400 mm, 21 LVT resembling colours available).
Ordering unit: 10 units of 2.4 lm.
Fixing system available: plastic clip holders.

Design & Colours	1	2
SMOKED OAK-BLACK	-	8025 239
SMOKED OAK-BROWN	24640 212	8025 197
SMOKED OAK-NATURAL	-	8025 327
SMOKED OAK-DARK GREY	24640 211	8025 303
SMOKED OAK-LIGHT GREY	24640 210	8025 129
SMOKED OAK-WHITE	-	8025 326
SOFT OAK-BROWN	24640 218	8025 214
SOFT OAK-NATURAL	24640 215	8025 006
SOFT OAK-BEIGE	24640 217	8025 217
SOFT OAK-LIGHT GREY	24640 219	8025 214
SOFT OAK-WHITE	-	8025 240
SOFT OAK-LIGHT BROWN	24640 218	8025 006
SOFT OAK-LIGHT BEIGE	24640 216	-
ASPEN OAK-GREY	-	8025 326
ASPEN OAK-BEIGE	-	8025 326

Design & Colours	1	2
COLOURED PINE-GREY	26640 201	-
BEECH-NATURAL	-	8025 006
COUNTRY OAK-BEIGE	24640 238	-
COUNTRY OAK-NATURAL	24640 237	-
COUNTRY OAK-GREY	24640 236	-
WASHED PINE-WHITE	24640 206	-
WASHED PINE-BEIGE	24640 204	-
WASHED PINE-LIGHT BROWN	24640 205	-
WASHED PINE-SNOW	24640 202	-
WASHED PINE-BLUE	24640 203	-
CERUSED OAK-BEIGE	24640 207	8025 326
CERUSED OAK-LIGHT BROWN	24640 209	8025 326
CERUSED OAK-BROWN	24640 208	8025 326
VENEZIA-GREY	24640 224	8025 284
SANDSTONE-BLACK	-	8025 283

Underlay

TARKOFLAT LOOSE-LAY

Ready-to-use solution


- Reduces slight unevenness in older subfloors by up to 1.5mm depth and 3mm width
- Prevents telegraphic effect, the appearance of bumps and ridges from the substrate by up to 1.5mm depth
- Residential and light traffic commercial applications (Class 32 max.)

Quick and easy to install*

Ref.: 3568 004 - Grey




Profile



SELF-ADHESIVE TRANSITION PROFILE

Self-adhesive aluminium transition strip, for a perfect transition between different flooring materials. Suitable for use in heavy traffic areas.

1 colour: Ref.: Silver 1470 008
Delivery form: 10 units of 2.7 lm



TRANSITION PROFILE

Aluminium transition profile, to be screwed.

1 colour: Ref.: Silver 1480 008
Delivery form: 10 units of 2.7 lm

*Tarkett recommend a selection of manufacturer adhesive (list available at: professionals.tarkett.com/content/list-recommended-adhesives). It is the responsibility of the adhesive manufacturer and flooring contractor to ensure the product being used is appropriate to use and applied in accordance with the manufacturer recommendations.



Specification

Luxury vinyl floorcovering in tiles and planks for domestic and light commercial use.
TopClean™ polyurethane reinforcement. Product standard: ISO 10582.

CERTIFICATION & CLASSIFICATION	STANDARDS	iD Essential 30
Type of floor covering	ISO 10582	Compact Resilient Floorcovering
CE certification	EN 14041	Yes
Classification	EN ISO 10874 (EN 685)	Domestic: 23 Commercial: 31
TECHNICAL CHARACTERISTICS	STANDARDS	iD Essential 30
Total thickness	EN ISO 24346 (EN 428)	2.0 mm
Wear layer thickness	EN ISO 24340 (EN 429)	0.30 mm
Surface treatment (PUR)		TopClean™
Total weight	EN ISO 23997 (EN 430)	3.400 g/m ²
Wear layer binder content	ISO 10582	Type I
Form of delivery	EN ISO 24342 (EN 427) Planks Box	15.2 x 91.4 cm - 24 planks /box = 3.34 m ² art. no. 3976 ___ 3 digit colour number 22.9 x 121.9 cm art. no. 3977 / 24707 ___ 3 digit colour number Tiles 30.5 x 61.0 cm - 18 tiles/box = 3.34 m ² art. no. 3979 ___ 3 digit colour number
TECHNICAL PERFORMANCES	STANDARDS	iD Essential 30
Dimensional stability	EN ISO 23999 (EN 434)	≤ 0.25 %
Reaction to fire	EN 13501-1	B _n -s1 glued over A2fl or A1fl substrate (concrete)
Residual indentation	EN ISO 24343-1 (EN 433)	Required value: ≤ 0.10 mm Average measured value: 0.03 mm
Furniture leg	EN 424	No damage
Castor chair	ISO 4918 (EN 425)	No damage
Curl resultant to heat	EN ISO 23999 (EN 434)	≤ 2 mm
Thermal resistance	EN ISO 10456	0.07 m ² K/W
Underfloor heating		Suitable – max. 27°C
Impact sound reduction	EN ISO 140-8 EN ISO 717/2	ΔL _w = 4 dB
Light fastness	EN ISO 105-B02	≥ 6
Resistance to chemicals	EN ISO 26987 (EN 423)	Good resistance
Slip resistance	DIN 51130 EN 13893	R9
Electrical properties	EN 1815 EN 1081	< 2 kV on concrete R _t > 10 ¹⁰ Ω
Colours		Wood: 36 - Ceramic: 7

Technical data in force upon the date of publication (11/15). The values correspond to laboratory tests (no in situ test) and are subject to modification. Tarkett's instructions regarding installation, cleaning and maintenance shall be observed. Please contact your local sales rep. for these instructions.

CUSTOMS TARIFF: 48205000000F

Our Sustainability tag explains the content of our products and how they contribute to our sustainability strategy and human well-being.



FLOOR IS THE NEW PLAYGROUND

flooristhewnewplayground.tarkett.com

■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien – Tel. +43 1 47 88 062 ■ Belgium: Tarkett France Belux – Tel. +32 16 35 98 80 ■ Denmark: Tarkett A/S – Tel. +45 43 90 60 11 ■ Finland: Tarkett Oy – Tel. +358 9 4257 9000 ■ France: Tarkett SAS – Tel. +33 1 41 20 42 49 ■ Germany: Tarkett Holding GmbH, Bereich Objekt – Tel. +49 62 33 810 ■ Greece: Tarkett Monoprosopi Ltd – Tel. +30 210 6745 340 ■ Italy: Tarkett S.p.A. – Tel. +39 0744 7551 ■ Luxembourg: Tarkett GDL SA – Tel. +352 949 211 8804 ■ Netherlands: Tarkett Holding GmbH, Vestiging Nederland – Tel. +31 76 57 80 760 ■ Norway: Tarkett AS – Tel. +47 32 20 92 00 ■ Portugal: Tarkett SA – Tel. +351 21 427 64 20 ■ Spain: Tarkett Floors S.L. – Tel. +34 91 358 00 35 ■ Sweden: Tarkett Sverige AB – Tel. +46 771 25 19 00 ■ Switzerland: Tarkett Holding GmbH, Bereich Objekt Schweiz – Tel. +41 043 233 79 24 ■ Turkey: Tarkett Aspen – Tel. +90 212 213 65 80 ■ United Kingdom: Tarkett Ltd – Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** Baltic Countries: Tarkett Baltics: Tel. +370 37 262 220 ■ Czech Republic: Tarkett France SAS, org. slozka – Tel. +420-271 001 602 ■ Hungary: Tarkett France SAS – Tel. +36 1 437 8150 ■ Poland: Tarkett Polska Sp. z o.o. – Tel. +48 22 639 31 68 ■ Russian Federation: ZAO Tarkett RUS – Tel. +7 495 775 3737 ■ Slovakia: Tarkett France SAS, org.zlozka – Tel. +421 248 291 317 ■ South East Europe: Tarkett Trade d.o.o. – Tel. +381 21 7557 649 (44) 569 12 21 ■ Ukraine: Tarkett UA – Tel. +38 (0) 44 569 12 21 ■ **ASIA AND OCEANIA:** Australia: Tarkett Australia Pty Ltd – Tel. +61 2 88 53 12 00 ■ China: Tarkett Floor Covering (Shanghai) Co. Ltd. – Tel. +86 (21) 60 95 68 38 ext 841 ■ Hong Kong: Tarkett Asia Pacific Ltd. – Tel. +852 2511 8716 ■ India: Tarkett France (India Branch) – Tel. +91 11 4352 4073 ■ South East Asia: Tarkett Flooring Singapore Pte Ltd – Tel. +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ Israel: Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** USA: Tarkett Inc. – Tel. +1 713 869 5811 / Johnsonite – Tel. +1 440 543 8916 ■ Canada: Tarkett Inc. – Tel. +1 450 293 173 ■ **LATIN AMERICA:** Brazil: Tarkett Fademac – Tel. 55 12 3954 7108 ■ Other countries: Tarkett America Latina – Tel. +55 11 3047 7200 ■ Argentina - Chile - Uruguay: Tarkett Latam Mercosur - Tel. 54 11 48 06 74 28 / 54 9 11 44 46 88 82 ■ Colombia - Panama - Caribbean: Tarkett Latam Andina – Tel. 57 1 759 5781 / 57 312 273 1566 ■ Bolivia - Ecuador - Paraguay - Peru: Tarkett Latam Sur Oeste - Tel. 55 11 3047 7233 ■ Mexico / Central America: Tarkett Latam Mexico - Tel. 52 735 35 63 918 / 52 55 51 07 9524



THE ULTIMATE
FLOORING EXPERIENCE